



ANNEXE

Les publications

du Département de chirurgie

Articles publiés entre le 1^{er} juillet 2010 et le 30 juin 2012

Division de la chirurgie générale

Bevacizumab added to neoadjuvant chemotherapy for breast cancer. Bear HD, Tang G, Rastogi P, Geyer CE Jr, **Robidoux A**, Atkins JN, Baez-Diaz L, Brufsky AM, Mehta RS, Fehrenbacher L, Young JA, Senecal FM, Gaur R, Margolese RG, Adams PT, Gross HM, Costantino JP, Swain SM, Mamounas EP, Wolmark N. *N Engl J Med*. 2012 Jan 26;366(4):310-20.

Comparison of bupivacaine and 2-chloroprocaine for spinal anesthesia for outpatient surgery: a double-blind randomized trial. Lacasse MA, Roy JD, Forget J, **Vandenbroucke F**, Seal RF, Beaulieu D, McCormack M, Massicotte L. *Can J Anaesth*. 2011 Apr;58(4):384-91.

Concurrent bevacizumab with a sequential regimen of doxorubicin and cyclophosphamide followed by docetaxel and capecitabine as neoadjuvant therapy for HER2-locally advanced breast cancer: a phase II trial of the NSABP Foundation Research Group. Rastogi P, Buysse ME, Swain SM, Jacobs SA, **Robidoux A**, Liepman MK, Pajon ER, Dy PA, Posada JG Jr, Melnik MK, Piette F, Geyer CE Jr, Mamounas EP, Wolmark N. *Clin Breast Cancer*. 2011 Aug;11(4):228-34.

Diabetes and breast cancer among women with BRCA1 and BRCA2 mutations. Bordeleau L, Lipscombe L, Lubinski J, Ghadirian P, Foulkes WD, Neuhausen S, Ainsworth P, Pollak M, Sun P, Narod SA; **Hereditary Breast Cancer Clinical Study Group**. *Cancer*. 2011 May 1;117(9):1812-8.

Evaluating survivorship care plans: results of a randomized, clinical trial of patients with breast cancer. Grunfeld E, Julian JA, Pond G, Maunsell E, Coyle D, Folkes A, Joy AA, Provencher L, Rayson D, Rheume DE, Porter GA, Paszat LF, Pritchard KI, **Robidoux A**, Smith S, Sussman J, Dent S, Sisler J, Wiernikowski J, Levine MN. *J Clin Oncol*. 2011 Dec 20;29(36):4755-62.

Family history of cancer and cancer risks in women with BRCA1 or BRCA2 mutations. Metcalfe K, Lubinski J, Lynch HT, Ghadirian P, Foulkes WD, Kim-Sing C, Neuhausen S, Tung N, Rosen B, Gronwald J, Ainsworth P, Sweet K, Eisen A, Sun P, Narod SA; **Hereditary Breast Cancer Clinical Study Group**. *J Natl Cancer Inst*. 2010 Dec 15;102(24):1874-8.

In the end what matters most? A review of clinical endpoints in advanced breast cancer. Verma S, McLeod D, Batist G, **Robidoux A**, Martins IR, Mackey JR. *Oncologist*. 2011;16(1):25-35. doi: 10.1634/theoncologist.2010-0278. Epub 2011 Jan 6. Review.

Is intra-operative ultrasound still useful for the detection of a hepatic tumour in the era of modern pre-operative imaging? Mathieu D'Hondt, **Franck Vandenbroucke-Menu**, Sébastien Préville-Ratelle, Simon Turcotte, Miguel Chagnon, **Marylène Plasse**, **Richard Létourneau**, **Michel Dagenais**, **André Roy & Réal Lapointe** HPB 2011, 13, 665-669.

Out-of-pocket costs for accessing adjuvant radiotherapy among Canadian women with breast cancer. Lauzier S, Levesque P, Drolet M, Coyle D, Brisson J, Mâsse B, **Robidoux A**, Robert J, Maunsell E. *J Clin Oncol*. 2011 Oct 20;29(30):4007-13.

A primer to common major gastrointestinal post-surgical anatomy on CT-a pictorial review". Terrone DG, Lepanto L, Billiard JS, Olivie D, Murphy-Lavallée J, **Vandenbroucke F**, Tang A. *Insights Imaging*. 2011 Dec;2(6):631-638. Epub 2011 Aug 3.

A prospective pilot study investigating the musculoskeletal pain in postmenopausal breast cancer patients receiving aromatase inhibitor therapy. **Robidoux A**, Rich E, Bureau NJ, Mader S, Laperrière D, Bail M, Tremblay N, Patenaude M, Turgeon J. *Curr Oncol*. 2011 Dec;18(6):285-94.

Pseudomyxoma peritonei arising from intestinal duplication. Letarte F, **Sideris L**, **Leblanc G**, **Leclerc Y-E**, **Dubé P**. *Am Surg*. 2011 Feb;77(2):233-234.

Rationale for Heating Oxaliplatin for the Intraperitoneal Treatment of Peritoneal Carcinomatosis: A Study of the Effect of Heat on Intraperitoneal Oxaliplatin Using a Murine Model. Piché N, Leblond FA, **Sideris L**, Pichette V, Drolet P, Fortier L-P, et al. *Ann Surg*. 2011 Apr. 13.

Refractory insulin allergy: pancreas transplantation or immunosuppressive therapy alone? Léonet J, **Malaise J**, Squifflet J-P. *Transpl Int*. 2010; 23:e39-40. Epub 2010 Mar 11.

Sentinel-lymph-node resection compared with conventional axillary-lymph-node dissection in clinically node-negative patients with breast cancer: overall survival findings from the NSABP B-32 randomised phase 3 trial. Krag DN, Anderson SJ, Julian TB, Brown AM, Harlow SP, Costantino JP, Ashikaga T, Weaver DL, Mamounas EP, Jalovec LM, Frazier TG, Noyes RD, **Robidoux A**, Scarth HM, Wolmark N. *Lancet Oncol*. 2010 Oct;11(10):927-33.

Single-dose intravenous casopitant in combination with ondansetron and dexamethasone for the prevention of oxaliplatin-induced nausea and vomiting: a multicenter, randomized, double-blind, active-controlled, two arm, parallel group study. Hesketh PJ, Wright O, Rosati G, Russo M, Levin J, **Dubé P**, Lane S, et al. *Support Care Cancer*. 2011 Aug. 7.

Solitary fibrous tumor arising in the mesentery: a case report. Bouhabel S, **Leblanc G**, Ferreira J, **Leclerc YE**, **Dubé P**, **Sideris L**. *World J Surg Oncol*. 2011;9:140.

Toward curative treatment of peritoneal carcinomatosis from nonovarian origin by cytoreductive surgery combined with perioperative intraperitoneal chemotherapy: a multi-institutional study of 1,290 patients. Glehen O, Gilly FN, Boutitie F, Bereder JM, Quenet F, **Sideris L**, et al. *Cancer*. 2010 Dec. 15;116(24):5608-5618.

Transcatheter Arterial Chemoembolization of Hepatocellular Carcinoma as a Bridge to Liver Transplantation: A Retrospective Study». Antoine Bouchard-Fortier, **Réal Lapointe**, Pierre Perreault, Louis Bouchard and Gilles Pomier-Layrargues, *Int J Hepatol*. 2011;2011:974514.

Use of aromatase inhibitors and bisphosphonates as an anticancer therapy in postmenopausal breast cancer. Mouridsen HT, Lønning P, Beckmann MW, Blackwell K, Doughty J, Gligorov J, Llombart-Cussac A, **Robidoux A**, Thürlimann B, Gnani M. *Expert Rev Anticancer Ther*. 2010 Nov;10(11):1825-36.

Division de la neurochirurgie

Angiographic pitfall: Duplicated tapered A1 segment of the anterior cerebral artery mimicking an anterior communicating artery aneurysm. Weil AG, **Bojanowski MW**, Scholtes F, Darsaut T, Signorelli F, Weill A; *Interv Neuroradiology*, 17(2): 179-182, juin 2011.

Arteriovenous malformation of the pineal gland. Weil AG, Obaid S, Berthelet F, McLaughlin N, **Bojanowski MW**. *Acta Neurochirurgica*, 154(1) : 65-66, janvier 2012.

Blisters-like aneurysms of the internal carotid artery – management considerations. McLaughlin N, Laroche M, **Bojanowski MW**. *Neurochirurgie*, 58(2-3): 170-177, avril 2012.

Cerebral arteriovenous malformations causing cerebrospinal fluid fistula. Beaudoin OX, Lévêque M, Bélaïr M, Saliba I, **Bojanowski MW**. *Canadian Journal of Neurological Sciences*, 37(6): 881-884, Nov 2010.

The combination of subdural and depth electrodes for intracranial EEG investigation of suspected insular (perisylvian) epilepsy. Surbeck W, **Bouthillier A**, Weil A, **Crevier L**, Carmant L, Lortie A, Major P, Nguyen D.K. *Epilepsia*, 52(3): 458-466, mars 2011.

Curcumin inhibits tumor growth and angiogenesis in glioblastoma xenografts. Perry MC, Demeule M, Régina A, **Moumdjian R**, Béliveau R. *Molecular Nutrition Food Research*, 54(8): 1192-1201, août 2010.

Decompressive craniectomy is not independent risk factor for communicating hydrocephalus in patients with increase intracranial pressure. Rahme R, Weil A, Sabbagh M, **Moumdjian R**, **Bouthillier A**, **Bojanowski MW**. *Neurosurgery* 67(3): 675-678, Sept 2010.

Dilated ventricles after severe head trauma : post-traumatic hydrocephalus or postcraniectomy hydrocephalus ? Rhame R, Weil AG, **Bojanowski MW**. *Neurosurgery*, March 2011 (Epub ahead of print)

Dural artery from the anterior cerebral artery to the planum sphenoidale. Signorelli F, Scholtes F, Kauffmann C, McLaughlin N, **Bojanowski M.W**. *Acta Neurochir (Wien)* 152(10) : 1807-1808 Oct 2010.

Early rerupture of cerebral arteriovenous malformations: beware the progressive hemispheric swelling. Rhame R, Weil AG, **Bojanowski MW**. *Med Hypotheses*. 76(4): 570-573, Apr 2011.

Endoscopic endonasal resection of the odontoid process as a standalone decompressive procedure for basilar invagination in chiari type 1 malformation. Scholtes F, Signorelli F, McLaughlin N, Lavigne F, **Bojanowski MW**. *Min Invas Neurosurg*. 54(4): 179-182, Aug 2011.

Endoscopic third ventriculostomy in the presence of large or giant basilar artery aneurysms. Obaid S, Weil AG, **Bojanowski MW**. *Acta Neurochir*. accepté mai 2012.

Endoscopic treatment of distal choroidal artery aneurysm. Lévêque M, McLaughlin N, Laroche M, **Bojanowski MW**. *Journal of Neurosurgery* 114(1): 116-119, Jan 2011.

The hybrid operculo-insular electrode: A new electrode for intracranial investigation of peri-sylvian/insular refractory epilepsy. **Bouthillier A**, Surbeck W, Weil AG, Tayah T, Nguyen DK. *Neurosurgery*, 70(6): 1574-1580, juin 2012.

Impact of antibiotic-impregnated catheters on the timing of cerebrospinal fluid infections in non-traumatic subarachnoid hemorrhage. McLaughlin N, St-Antoine P, **Bojanowski MW**. *Acta Neurochirurgica*, 154(4): 761-766, avril 2012.

L'insula – cause d'échec de la chirurgie d'épilepsie. Surbeck W, **Bouthillier A**, Nguyen DK, Hildebrandt G. *Épileptologie*; 27, p.87-92, juillet 2010.

An intracranial event-related potential study on transformational apparent motion. Does its neural processing differ from real motion? Bertrand J.A., Lassonde M, Robert M, Nguyen DK, Bertone A, Doucet M.É, **Bouthillier A**, Lepore F. *Exp Brain Res*. 216(1): 145-153, janvier 2012.

Low-energy penetrating nail injury through the petrous segment of the ICA. Weil AG, Weil A, Li M, **Shedid D**. *Canadian Journal of Neurological Sciences*, 38(4):649-651, juillet 2011.

Management of patients with aneurismal subarachnoid hemorrhage and associated symptomatic vasospasm on presentation. McLaughlin N, **Bojanowski MW**. *Neurochirurgie*, 58(2-3): 160-164, avril 2012.

Microvascular decompression of the optic chiasm. Case report. McLaughlin N, **Bojanowski MW**. *Journal Neurosurg* 114(3): 857-860, Mar 2011.

Minimally invasive approach for the resection of spinal neoplasm. Haji FA, Cenic A, **Crevier L**, Murty N, Reddy K. *Spine*, 36(15): E1018-1026, juillet 2011.

Minimally invasive removal of a giant extradural lumbar foraminal schwannoma. Weil AG, Obaid S, Shehadeh M, **Shedid D**. *Surg. Neurol. Int.* 2:186; décembre 2011.

A misleading distal anterior cerebral artery aneurysm. Weil AG, McLaughlin N, Lessard-Bonaventure P, **Bojanowski MW**. *Surg Neurol Int.* Sep 16;1:55 Sep 2010.

Moyamoya-like vasculopathy and Seckel syndrome: just a coincidence? Rahme R, **Crevier L**, Dubois J, Mercier C. *Child's Nervous System*, 26(7): 983-986, juillet 2010.

Mycobacterium bovis spondylodiscitis after intravesical Bacillus Calmette-Guérin therapy. Obaid S, Weil AG, Rahme R, Gendron C, **Shedid D**. *Surg. Neurol. Int.* 2:162, novembre 2011.

Neoangiogenesis of a serpentine middle cerebral artery aneurysm. McLaughlin N, Denis D, **Bojanowski MW**. *Acta Neurochirurgica*, 154(1) : 63-64, janvier 2012.

Outcome of severe arteriovenous malformation-related intracranial hemorrhage: the importance of cisternal subarachnoid hemorrhage and early seizures. Rahme R, Weil AG, **Bojanowski MW**. *Acta Neurochir (Wien)* 153(4): 897-903, Apr 2011.

Overt Cerebrospinal fluid drainage is not a sine qua non for paradoxical herniation after decompressive craniectomy: case report. Rahme R, **Bojanowski MW**. *Neurosurgery*; 67(1): 214-215, Juillet 2010.

Pituitary choriocarcinoma in an adolescent male: tumor-derived CG and GH delay diagnosis. Wildi-Runge S, **Crevier L**, Carret AS, Robitaille Y, Deal C. *Growth Horm IGF Res*. 21(3) 181-184, juin 2011.

Quality of life following decompressive hemicraniectomy for malignant MCA territory infarction. Weil AG, Rahme R, **Moumdjian R**, **Bouthillier A**, **Bojanowski MW**. *Canadian Journal of Neurological Sciences*, 38(3):434-438, mai 2011.

Quality of life following hemicraniectomy for malignant MCA territory infarction. Weil AG, Rahme R, **Moumdjian R**, **Bouthillier A**, **Bojanowski MW**. *Canadian Journal of Neurological Sciences*, 38(3): 434-438, Mai 2011.

Refractory insular cortex epilepsy: clinical features, investigation and treatment. Surbeck W, **Bouthillier A**, Nguyen DK. *Future Neurol.*, Vol. 5, No 4, p.491-499, juillet 2010.

Role of Nlrp1 in the migration of myeloid cells to central nervous system inflammatory lesions. Ifergan I, Kebir H, Terouz S, Alvarez J.I, Lécuyer MA, Gendron S, Bourbonnière L, Dunay I.R, **Bouthillier A**, **Moumdjian R**, Fontana A, Haqqani A, Klopstein A, Prinz M, López-Vales R, Birchler T, Prat A. *Annals of Neurology*, 70(5): 751-763, novembre 2011.

Rupture of anterior communicating artery aneurysms during computed tomography angiography: Description of the pathway for intraseptal and intraventricular hemorrhage. Scholtes F, Signorelli F, **Bojanowski MW**. *Journal of Neurosurgery*, 115(3): 617-620, Sep 2011.

Superficial cervical plexus block for transitional analgesia in infratentorial and occipital craniotomy : a randomized trial. Girard F., Quentin C, Charbonneau S, Ayoub C, Boudreault D, Chouinard P, Ruel M, **Moumdjian R**. *Canadian Journal Anesthésia*, 57(12) : 1065-1070, décembre 2010.

Superficial siderosis as a manifestation of a dural arteriovenous fistula. Signorelli F, McLaughlin N, **Bojanowski MW**. *Canadian Journal Neurological Sciences*, 38(2): 367-369, Mar 2011.

Surgical management of blood blister-like aneurysms of the internal carotid artery. McLaughlin N, Laroche M, **Bojanowski MW**. *World Neurosurgery*, 74 (4-5) 483-493 Oct 2010.

Temporal lobe epilepsy surgery failures: a review. Harroud A., **Bouthillier A**, Weil AG, Nguyen DK. *Epilepsy Research and Treatment*, 2012:201651. Epub 22 avril 2012.

Tentorial branch of the superior cerebellar artery. Weil AG, McLaughlin N, Denis D, **Bojanowski MW**. *Surg Neurol Int* 2:71, mai 2011.

Trauma association of Canada Pediatric Subcommittee National Pediatric Cervical Spine Evaluation Pathway: consensus guidelines. Chung S, Mikrogianakis A, Wales PW, Dirks P, Shroff M, Singhal A, Grant V, Hancock BJ, Creery D, Atkinson J, St-Vil D, **Crevier L**, Yanchar N, Hayashi A, Mehta , Carey T, Dhanani S, Siemens R, Singh S, Price D. *J Trauma*, 70(4): 873-884, avril 2011.

Treatment of chordoma with imatinib complicated by intracranial hemorrhage: a case showing dissociation between biological effect and therapeutic outcome. Mercier F, Guiot MC, **Bojanowski MW**. *Journal of Neurooncology*, 107(2): 435-437, avril 2012.

Unruptured intracranial aneurysms: why clinicians should not resort to epidemiologic studies to justify interventions. Raymond J, Darsaut TE, Kotowski M, **Bojanowski MW**. *American Journal of Neuroradiology*, 32(9): 1568-1569, Oct 2011.

Vagus nerve stimulation for epilepsy: the Notre-Dame Hospital experience. Qiabi M, **Bouthillier A**, Carmant L, Nguyen DK. *The Canadian Journal of Neurological Sciences*, 38(6) 902-908, novembre 2011.

Very small intracranial aneurysms: Clip or coil. Signorelli F, Scholtes F, **Bojanowski MW**. *Neurochirurgie*, 58(2-3): 156-159, avril 2012.

Division de la chirurgie cardiaque

Evaluation of care and surveillance of cardiovascular disease: can we trust medico-administrative hospital data? Lambert L, Blais C, Hamel D, Brown K, Rinfret S, **Cartier R**, Giguère M, Carroll C, Beauchamp C, Bogaty P. *Can J Cardiol*. 2012 Mar-Apr;28(2):152-158.

The influence of a low ejection fraction on long-term survival in systematic off-pump coronary artery bypass surgery. Maltais S, Ladouceur M, **Cartier R**. *Eur J Cardiothorac Surg*. 2011 May;39(5):e122-127.

Long-term results following concomitant radiofrequency modified maze ablation for atrial fibrillation. Maltais S, Forcillo J, **Bouchard D**, **Carrier M**, **Cartier R**, **Demers P**, **Perrault LP**, **Poirier N**, Ladouceur M, **Pagé P**, **Pellerin M**. *J Card Surg*. 2010 Sept; 25(5):608-613.

Mammary to innominate arteriovenous fistula: Endovascular management of an anecdotal complication. Jacques F, Dubuc M, Ibrahim R, Joyal M, Bouchard L, **Cartier R**. *Can J Cardiol*. 2011 Jul-Aug;27(4): 524.e1-3.

Patient-prosthesis mismatch in the mitral position affects mid-term survival and functional status. **Bouchard D**, Vanden Eynden F, **Demers P**, **Perrault LP**, **Carrier M**, **Cartier R**, Basmadjian AJ, **Pellerin M**. *Can J Cardiol*. 2010 Dec;26(10):532-536.

Patients with coronary artery disease unsuitable for revascularization: definition, general principles and a classification. Jolicœur EM, **Cartier R**, Henry TD, Barsness GW, Bourassa MG, McGillion M, L'Allier PL. *Can J Cardiol*. 2012 Mar-Apr;28(2) (Suppl.S):S50-59.

Regional dependency of the vascular smooth muscle cell contribution to the mechanical properties of the pig ascending aortic tissue. Tremblay D, **Cartier R**, Mongrain R, Leask RL. *J Biomech.* 2010 Aug 26;43(12):2448-2451.

The relationship between cerebral oxygen saturation changes and postoperative cognitive dysfunction in elderly patients after coronary artery bypass graft surgery. Tournay-Jetté E, Dupuis G, Bherer L, Deschamps A, **Cartier R**, Denault AJ. *Cardiothorac Vasc Anesth.* 2011 Feb;25(1):95-104.

Retrospective cohort analysis of 926 tricuspid valve surgeries: Clinical and hemodynamic outcomes with propensity score analysis. Marquis-Gravel G, **Bouchard D**, **Perrault LP**, **Page P**, **Jeanmart H**, **Demers P**, **Carrier M**, **Cartier R**, **Poirier NC**, **Hebert Y**, **Pellerin M**. *Am Heart J.* 2012 May;163(5):851-858.e1.

Second harmonic generation microscopy to investigate collagen configuration: A pericarditis case study. Bélisle J, Zigras T, Costantino S, **Cartier R**, Butany J, Wiseman PW, Leask RL. *Cardiovasc Pathol.* 2010 Jul-Aug;19(4):e125-128.

Statin in combination with -blocker therapy reduces postoperative stroke after coronary artery bypass graft surgery. **Bouchard D**, **Carrier M**, **Cartier R**, **Pellerin M**, **Perrault LP**, Lambert J. *Ann Thorac Surg.* 2011 Mar; 91(3):654-660.

Therapeutic vascular compliance change may cause significant variation in coronary perfusion: a numerical study. Nobari S, Mongrain R, Gaillard E, Leask R, **Cartier R**. *Comput Math Methods Med.* 2012 Mar;2012:791686.

A three-layer model for buckling of a human aortic segment under specific flow-pressure conditions. Amabili M, Karazis K, Mongrain R, Paidoussis MP, **Cartier R**. *Int J Numer Meth BioMed Engng.* 2012 May;28(5):495-512.

Triple-valve surgery: Clinical results of a three-decade experience. Gravel GM, **Bouchard D**, **Perrault LP**, **Pagé P**, **Carrier M**, **Cartier R**, **Jeanmart H**, **Pellerin M**. *J Heart Valve Dis.* 2011 Jan;20(1):75-82. PMID: 21404901.

The use of antiplatelet therapy in the outpatient setting: Canadian Cardiovascular Society Guidelines Executive Summary. Bell AD, Roussin A, **Cartier R**, Chan WS, Douketis JD, Gupta A, Kraw ME, Lindsay TF, Love MP, Pannu N, Rabasa-Lhoret R, Shuaib A, Teal P, Théroux P, Turpie AG, Welsh RC, Tanguay JF. *Can J Cardiol.* 2011 Mar-Apr;27(2):208-221.

The use of antiplatelet therapy in the outpatient setting: Canadian Cardiovascular Society Guidelines. Bell AD, Roussin A, **Cartier R**, Chan WS, Douketis JD, Gupta A, Kraw ME, Lindsay TF, Love MP, Pannu N, Rabasa-Lhoret R, Shuaib A, Teal P, Théroux P, Turpie AG, Welsh RC, Tanguay JF. *Canadian Cardiovascular Society. Can J Cardiol.* 2011 May-Jun;27(3) (Suppl A):S1-59.

Division de la chirurgie pédiatrique

Activation of the phosphatidylinositol 3' kinase/AKT pathway in neuroblastoma and its regulation by thioredoxin 1. Sarlet H, Rougemont AL, Fabre M, Castaing M, Duval M, Fetni R, Michiels S, **Beaunoyer M**, Vassal G. *Hum Pathol.* 2011 Jun 2.

Comparative outcomes in intestinal atresia: a clinical outcome and pathophysiology analysis. Burjonrappa S, Crete E, **Bouchard S**. *Pediatr Surg Int.* 2011 Apr; 27(4):437-42.

A contemporary evaluation of pulmonary function in children undergoing lung resection in infancy. Beres A, **Aspirot A**, Paris C, Berube D, **Bouchard S**, Laberge JM, Lands LC, Puligandla P. *J Pediatr Surg.* 2011 May;46(5):829-32.

Do some adolescents with rumination syndrome have «supragastric vomiting»? Fernandez S, **Aspirot A**, Kerzner B, Friedlander J, **Di Lorenzo C**. *Journal of Pediatric Gastroenterology and Nutrition* 50(1):103-5.

Is Ultrasonography Useful in Predicting Thyroid Cancer in Children with Thyroid Nodules and Apparently Benign Cytopathologic Features? Jannette Saavedra, Johnny Deladoëy, **Dickens Saint-Vil**, Yvan Boivin, Nathalie Alos, Cheri Deal, Guy Van Vliet, Céline Huot. *Horm Res Paediatr* 2011;75:269-275.

Limited Sampling Strategies for Monitoring Tacrolimus in Pediatric Liver Transplant Recipients. Delaloye JR, Kassir N, Lapeyraque AL, Alvarez F, **Lallier M**, **Beaunoyer M**, Labbé L, Théorêt Y, Litalien C. *Ther Drug Monit.* 2011 Aug;33(4):380-386.

Open transumbilical pyloromyotomy: is it more painful than the laparoscopic approach? Lemoine C, Paris C, Morris M, Vali K, **Beaunoyer M**, **Aspirot A**. *Journal of Pediatric Surgery* Mai 2011;46(5):870-3.

Division de la chirurgie ORL

Advantages of subannular tube vs repetitive transtympanic tube technique. **Saliba I**, Boutin T, **Arcand P**, **Froehlich P**, **Abela A**. *Arch Otolaryngol Head Neck Surg.* 2011 Dec;137(12):1210-6.

Central compartment dissection in thyroid papillary carcinoma. **Forest VI**, Clark JR, Ebrahimi A, Cho EA, Sneddon L, Gao K, O'Brien CJ. *Ann Surg.* 2011 Jan;253(1):123-30.

Congenital aural atresia: Bone-anchored hearing aid vs. external auditory canal reconstruction. Bouhabel S, **Arcand P**, **Saliba I**. *Int J Pediatr Otorhinolaryngol.* 2012 Feb;76(2):272-7.

Cutaneous head and neck squamous cell carcinoma with regional metastases: the prognostic importance of soft tissue metastases and extranodal spread. Kelder W, Ebrahimi A, **Forest VI**, Gao K, Murali R, Clark JR. *Ann Surg Oncol.* 2012 Jan;19(1):274-9. Epub 2011 Aug 9.

Development and validation of discriminating method of dissolution for fosamprenavir tablets based on in vivo data. Rossi RC, Dias CL, Bajerski L, Bergold AM, **Froehlich PE**. *J Pharm Biomed Anal.* 2011 Feb 20;54(3):439-44. Epub 2010 Sep 15.

Ectopic thyroid gland causing dysphonia: imaging and molecular studies. Stoppa-vaucher S, **Lapointe A**, Turpin S, Rydlewski C, Vassart G, Deladoëy J. *J Clin Endocrinol Metab.* 2010 Oct 95 ; (10) : 4509-10

Fusion of MRIs and CT scans for surgical treatment of cholesteatoma of the middle ear in children. Plouin-Gaudon I, Bossard D, Ayari-Khalfallah S, **Froehlich P**. *Arch Otolaryngol Head Neck Surg.* 2010 Sep;136(9):878-83.

Hearing rehabilitation in congenital aural atresia using the bone-anchored hearing aid: audiological and satisfaction results. Fuchsmann C, Tringali S, Disant F, Buiret G, Dubreuil C, **Froehlich P**, Truy E. *Acta Otolaryngol.* 2010 Dec;130(12):1343-51. Epub 2010 Aug 24.

Hyaluronic acid fat graft myringoplasty: an office-based technique adapted to children. **Saliba I**, **Froehlich P**. *Arch Otolaryngol Head Neck Surg.* 2011 Dec;137(12):1203-9.

Propranolol as first-line treatment of head and neck hemangiomas. Fuchsmann C, **Quintal MC**, **Giguere C**, Ayari-Khalfallah S, Guibaud L, Powell J, McCone C, **Froehlich P**. *Arch Otolaryngol Head Neck Surg.* 2011 May;137(5):471-8.

Propranolol in the therapeutic strategy of infantile laryngotracheal hemangioma: A preliminary retrospective study of French experience. Leboulanger N, Fayoux P, Teissier N, Cox A, Van Den Abbeele T, Carrabin L, Couloigner V, Nicollas R, Triglia JM, Ayari S, **Froehlich P**, Lescanne E, Marianowski R, Mom T, Mondain M, Marie JP, Roger G, Garabédian EN, Denoyelle F. *Int J Pediatr Otorhinolaryngol.* 2010 Nov;74(11):1254-7. Epub 2010 Aug 30.

Questioning the legitimacy of rigid bronchoscopy as a tool for establishing the diagnosis of a bronchial foreign body. Cavet O, Bergeron M, Garel L, **Arcand P**, **Froehlich P**. *Int J Pediatr Otorhinolaryngol.* 2012 Feb;76(2):194-201. Epub 2011 Dec 9.

Scientific independence of authors and of journals to their published articles. **Froehlich P**. *Otolaryngol Head Neck Surg.* 2010 Nov;143(5):713; author reply 713-4. No abstract available.

Thyroglossal duct cyst carcinoma: case series. **Forest VI**, Murali R, Clark JR. *J Otolaryngol Head Neck Surg.* 2011 Apr;40(2):151-6.

Tonsillar Hairy Polyp. **Saliba I**, El Khatib N, **Quintal MC**, **Arcand P**. *J Otolaryngol Head Neck Surg.* 2010 Oct;39(5):E67-9.

Tympanic membrane perforation: Size, site and hearing evaluation. **Saliba I**, **Abela A**, **Arcand P**. *Int J Pediatr Otorhinolaryngol.* 2011 Apr;75(4):527-31. Epub 2011 Jan 22.

Value of thyroid incidentalomas on positron emission tomographic scans among thyroidectomy patients. Amir A, Karls S, Sands N, **Forest VI**, Hier M, Gologan O, Payne R. *J Otolaryngol Head Neck Surg.* 2011 Oct;40(5):391-5.

Division de la chirurgie orthopédique

Accounting for velocity of the pivot shift test manoeuvre decreases kinematic variability. Labbe DR, **de Guise JA**, **Godbout V**, **Grimard G**, **Baillargeon D**, **Lavigne P**, **Fernandes J**, **Massé V**, **Ranger P**, **Hagemeister N**. *Knee*. 2011 Mar;18(2):88-93. Epub 2010 Jul 21.

Age- and sex-related variations in sagittal sacropelvic morphology and balance in asymptomatic adults. **Mac-Thiong JM**, Roussouly P, Berthonnaud E, Guigui P. *Eur Spine J*. 2011 Sep;20 Suppl 5:572-7.

Biomechanical analysis of spino-pelvic parameters in adolescent idiopathic scoliosis after spinal instrumentation and fusion: a case study. Pasha S, **Aubin CE**, **Labelle H**, **Parent S**, **Mac-Thiong JM**. *Stud Health Technol Inform*. 2012;176:125-8.

Clinical significance of lumbosacral kyphosis in adolescent spondylolisthesis. Tanguay F, **Labelle H**, **Wang Z**, Joncas J, **de Guise JA**, **Mac-Thiong JM**. *Spine (Phila Pa 1976)*. 2012 Feb 15;37(4):304-8.

Clinical validation of computer-assisted navigation in total hip arthroplasty. **Beaumont E**, **Beaumont P**, Odermat D, Fontaine I, Jansen H, Prince F. *Adv Orthop*. 2011;2011:171783.

Comparative study of femoral diaphyseal morphometry in two male populations, in France and a French West Indies island: an example of clinical relevance of comparative anatomy for orthopedic practice. Uzel AP, Deloumeaux J, Rouvillain JL, **Laflamme GY**, Durandeu A, Caix P. *Surg Radiol Anat*. 2011 Apr;33(3):235-40.

Complications and Morbidities of Mini-open Anterior Retroperitoneal Lumbar Interbody Fusion: Oblique Lumbar Interbody Fusion in 179 Patients. Silvestre C, **Mac-Thiong JM**, Hilmi R, Roussouly P. *Asian Spine J*. 2012 Jun;6(2):89-97.

Development and validation of an instrument to predict functional recovery in tibial fracture patients: the Somatic Pre-Occupation and Coping (SPOC) questionnaire. Busse JW, Bhandari M, Guyatt GH, Heels-Ansdell D, Kulkarni AV, Mandel S, Sanders D, Schemitsch E, Swiontkowski M, Tornetta P 3rd, Wai E, Walter SD; **SPRINT Investigators** & the Medically Unexplained Syndromes Study Group. *J Orthop Trauma*. 2012 Jun;26(6):370-8.

Economic evaluation of reamed versus unreamed intramedullary nailing in patients with closed and open tibial fractures: results from the study to prospectively evaluate reamed intramedullary nails in patients with tibial fractures (SPRINT). **SPRINT Investigators**, Briel M, Sprague S, Heels-Ansdell D, Guyatt G, Bhandari M, Blackhouse G, Sanders D, Schemitsch E, Swiontkowski M, Tornetta P 3rd, Walter SD, Goeree R. *Value Health*. 2011 Jun;14(4):450-7. Epub 2011 May 25. Erratum in: *Value Health*. 2011 Sep-Oct;14(6):963. multiple investigator names added.

Effect of force tightening on cable tension and displacement in greater trochanter reattachment. Canet F, Duke K, Bourgeois Y, **Laflamme GY**, Brailovski V, **Petit Y**. *Conf Proc IEEE Eng Med Biol Soc*. 2011;2011:5749-52.

The effects of femoral neck cut, cable tension, and muscles forces on the greater trochanter fixation. **Petit Y**, Cloutier LP, Duke K, **Laflamme GY**. *Med Biol Eng Comput*. 2012 Apr;50(4):411-7.

Efficient Nonviral Gene Therapy Using Folate-Targeted Chitosan-DNA Nanoparticles In Vitro. Jreysaty C, **Shi Q**, Wang H, Qiu X, Winnik FM, Zhang X, Dai K, **Benderdour M**, **Fernandes JC**. *ISRN Pharm*. 2012;2012:369270.

Elucidation of molecular mechanisms underlying the protective effects of thymoquinone against rheumatoid arthritis. Vaillancourt F, Silva P, **Shi Q**, Fahmi H, **Fernandes JC**, **Benderdour M**. *J Cell Biochem*. 2011 Jan;112(1):107-17.

The evaluation of lumbosacral dysplasia in young patients with lumbosacral spondylolisthesis: comparison with controls and relationship with the severity of slip. Pawar A, **Labelle H**, **Mac-Thiong JM**. *Eur Spine J*. 2012 Feb 11. [Epub ahead of print].

Feature selection using a principal component analysis of the kinematics of the pivot shift phenomenon. Labbe DR, **de Guise JA**, Mezghani N, **Godbout V**, **Grimard G**, **Baillargeon D**, **Lavigne P**, **Fernandes J**, **Ranger P**, **Hagemeister N**. *J Biomech*. 2010 Dec 1;43(16):3080-4.

Finite element model of a greater trochanteric reattachment system. Bourgeois Y, **Petit Y**, **G-Laflamme Y**. *Conf Proc IEEE Eng Med Biol Soc*. 2010;2010:3926-9.

Fluid lavage of open wounds (FLOW): a multicenter, blinded, factorial pilot trial comparing alternative irrigating solutions and pressures in patients with open fractures. FLOW Investigators, Petrisor B, Sun X, **Bhandari M**, **Guyatt G**, Jeray KJ, Sprague S, Tanner S, Schemitsch E, **Sancheti P**, **Anglen J**, **Tornetta P**, **Bosse M**, Liew S, Walter S. *J Trauma*. 2011 Sep;71(3):596-606.

Force relaxation and sprinback of novel elastic orthopedic cables. Canet F, Baril Y, Brailovski V, **Petit Y**, Bissonnette G, **Laflamme GY**. *Conf Proc IEEE Eng Med Biol Soc*. 2011;2011:5758-61.

Hydrodynamic delivery of chitosan-folate-DNA nanoparticles in rats with adjuvant-induced arthritis. **Shi Q**, Wang H, Tran C, Qiu X, Winnik FM, Zhang X, Dai K, **Benderdour M**, **Fernandes JC**. *J Biomed Biotechnol*. 2011;2011:148763.

Internal fixation of osteopenic acetabular fractures involving the quadrilateral plate. **Laflamme GY**, Hebert-Davies J, **Rouleau D**, **Benoit B**, **Leduc S**. *Injury*. 2011 Oct;42(10):1130-4.

Irreducible Pipkin II femoral head fractures: Is transgluteal approach the best strategy? Uzel AP, **Laflamme GY**, Rouvillain JL. *Orthop Traumatol Surg Res*. 2010 Oct;96(6):695-701. Epub 2010 Aug 11.

Irreducible traumatic posterior hip dislocation with entrapment and a buttonhole effect. Uzel AP, Bertino R, Daculsi G, **Laflamme GY**, Chin J. *Traumatol*. 2011 Dec 1;14(6):367-70.

Is ulnar nerve transposition beneficial during open reduction internal fixation of distal humerus fractures? Chen RC, Harris DJ, **Leduc S**, Borrelli JJ Jr, Tornetta P 3rd, Ricci WM. *J Orthop Trauma*. 2010 Jul;24(7):391-4.

Mechanical analysis of cuff tear arthropathy during multiplanar elevation with the AnyBody shoulder model. Lemieux PO, Nuño N, **Hagemeister N**, Tétreault P. *Clin Biomech (Bristol, Avon)*. 2012 Oct;27(8):801-6. doi: 10.1016/j.clinbiomech.2012.04.008. Epub 2012 May 30.

Nuclear receptor retinoid-related orphan receptor $\alpha 1$ modulates the metabolic activity of human osteoblasts. **Benderdour M**, Fahmi H, Beaudet F, **Fernandes JC**, **Shi Q**. *J Cell Biochem*. 2011 Aug;112(8):2160-9. doi: 10.1002/jcb.23141.

Objective grading of the pivot shift phenomenon using a support vector machine approach. Labbe DR, **de Guise JA**, Mezghani N, **Godbout V**, **Grimard G**, **Baillargeon D**, **Lavigne P**, **Fernandes J**, **Ranger P**, **Hagemeister N**. *J Biomech*. 2011 Jan 4;44(1):1-5.

Outcomes assessment in the SPRINT multicenter tibial fracture trial: Adjudication committee size has trivial effect on trial results. SPRINT Investigators, Simunovic N, Walter S, **Devereaux PJ**, **Sprague S**, Guyatt GH, Schemitsch E, Tornetta P 3rd, Sanders D, Swiontkowski M, Bhandari M. *J Clin Epidemiol*. 2011 Sep;64(9):1023-33.

Passive contribution of the rotator cuff to abduction and joint stability. **Tétreault P**, Levasseur A, **Lin JC**, **de Guise J**, Nuño N, **Hagemeister N**. *Surg Radiol Anat*. 2011 Nov;33(9):767-73.

Pediatric sagittal alignment. **Mac-Thiong JM**, **Labelle H**, Roussouly P. *Eur Spine J*. 2011 Sep;20 Suppl 5:586-90. Epub 2011 Aug 3. Review.

Perturbation of adhesion molecule-mediated chondrocyte-matrix interactions by 4-hydroxynonenal binding: implication in osteoarthritis pathogenesis. El-Bikai R, Welman M, Margaron Y, Côté JF, Macqueen L, Buschmann MD, Fahmi H, **Shi Q**, Maghni K, **Fernandes JC**, **Benderdour M**. *Arthritis Res Ther*. 2010;12(5):R201.

Polycation-based gene therapy: current knowledge and new perspectives. Tiera MJ, **Shi Q**, Winnik FM, **Fernandes JC**. *Curr Gene Ther*. 2011 Aug;11(4):288-306. Review.

Progressive osteolysis of the radius after distal biceps tendon repair with the bioabsorbable screw. Potapov A, **Laflamme YG**, **Gagnon S**, Canet F, **Rouleau DM**. *J Shoulder Elbow Surg*. 2011 Jul;20(5):819-26.

Radial head translation measurement in healthy individuals: the radiocapitellar ratio. **Rouleau DM**, Sandman E, Canet F, Djahangiri A, **Laflamme Y**, Athwal GS, **Petit Y**. *J Shoulder Elbow Surg*. 2012 May;21(5):574-9.

Reattachment of complex femoral greater trochanteric nonunions with dual locking plates. **Laflamme GY**, **Leduc S**, **Petit Y**. *J Arthroplasty*. 2012 Apr;27(4):638-42. Epub 2011 Sep 22.

Reliability of the Spinal Deformity Study Group classification of lumbosacral spondylolisthesis. **Mac-Thiong JM**, Duong L, **Parent S**, Hresko MT, Dimar JR, Weidenbaum M, **Labelle H**. *Spine (Phila Pa 1976)*. 2012 Jan 15;37(2):E95-102.

Risk of axillary nerve injury during percutaneous proximal humerus locking plate insertion using an external aiming guide. Saran N, Bergeron SG, **Benoit B**, Reindl R, Harvey EJ, Berry GK. *Injury*. 2010 Oct;41(10):1037-40.

Sagittal spino-pelvic alignment in chronic low back pain. Chaléat-Valayer E, **Mac-Thiong JM**, Paquet J, Berthonnaud E, Siani F, Roussouly P. *Eur Spine J*. 2011 Sep;20 Suppl 5:634-40.

siRNA therapy for cancer and non-lethal diseases such as arthritis and osteoporosis. **Shi Q**, Zhang XL, Dai KR, **Benderdour M**, **Fernandes JC**. *Expert Opin Biol Ther*. 2011 Jan;11(1):5-16.

Spino-pelvic sagittal balance of spondylolisthesis: a review and classification. **Labelle H**, **Mac-Thiong JM**, Roussouly P. *Eur Spine J*. 2011 Sep;20 Suppl 5:641-6. Epub 2011 Aug 2. Review.

The Timed Up and Go test is an early predictor of functional outcome after hemiarthroplasty for femoral neck fracture. **Laflamme GY**, **Rouleau DM**, **Leduc S**, Roy L, **Beaumont E**. *J Bone Joint Surg Am*. 2012 Jul 3;94(13):1175-9. Reattachment of complex femoral greater trochanteric nonunions with dual locking plates. **Laflamme GY**, **Leduc S**, **Petit Y**. *J Arthroplasty*. 2012 Apr;27(4):638-42.

Total hip arthroplasty for acute displaced femoral neck fractures via the posterior approach: a protocol to minimise hip dislocation risk. Ricci WM, Langer JS, **Leduc S**, Streubel PN, Borrelli JJ. *Hip Int*. 2011 Jun 8;21(3):344-350. doi: 10.5301/HIP.2011.8401. [Epub ahead of print].

Trabecular metal used for major bone loss in acetabular hip revision. Davies JH, **Laflamme GY**, Delisle J, **Fernandes J**. *J Arthroplasty*. 2011 Dec;26(8):1245-50.

Treatment of thoracolumbar burst fractures by means of anterior fusion and cage. Zahra B, **Jodoin A**, **Maurais G**, **Parent S**, **Mac-Thiong JM**. *J Spinal Disord Tech*. 2012 Feb;25(1):30-7.

Uptake mechanisms of non-viral gene delivery. Xiang S, Tong H, **Shi Q**, **Fernandes JC**, Jin T, Dai K, Zhang X. *J Control Release*. 2012 Mar 28;158(3):371-8. Epub 2011 Oct 1. Review.

Validity of goniometric elbow measurements: comparative study with a radiographic method. Chapleau J, Canet F, **Petit Y**, **Laflamme GY**, **Rouleau DM**. *Clin Orthop Relat Res*. 2011 Nov;469(11):3134-40. Epub 2011 Jul 21.

Division de la chirurgie plastique

CD 109, an Endogenous TGF- β Antagonist, Enhances Wound Healing and Reduces Scarring and Fibrosis. Winocour S, Vorstenbosch J, Alajmi H, Trzeciak A, **Lessard L**, Philip A. *Plastic and Reconstructive Surgery*, 127 (5S): 89, May 2011.

Evaluation of strabismus in patients operated for anterior synostotic plagiocephaly, Dumas A, **Bortoluzzi P**, *Canadian Journal of Plastic Surgery*, volume 18, No 2, Summer 2010, page 43.

Évaluation visuelle de la déformation cranio-faciale avec la croissance chez des patients avec craniosynostose unique non-opérée, F.Arsenault, S. Blais, et **P. Bortoluzzi**, Congrès annuel de l'Association des Spécialistes de Chirurgie Plastique et Esthétique du Québec, Montréal, 18 février 2011.

Freestyle Pedicled Perforator Flaps: Clinical Results and Vascular Anatomy Lecours C, Saint-Cyr M, Wong C, **Bernier C**, Mailhot E, **Tardif M**, **Chollet A**. *Plastic and Reconstructive Surgery*, novembre 2010; vol. 126, no 5.

International Plastic Surgery Missions: A Framework for Resident Education Using the CanMEDS Competencies accepted for publication *Annals of Plastic Surgery* White C, Lecours C, Ying Y, **Bortoluzzi P**, **Caouette Laberge L**, March 2012.

Moberg modification using de first web space: thumb reconstruction following distal amputation. Thibaudeau S, Tremblay D M, **Tardif M**, **Chollet A**. *The Journal of Hand Surgery* 2012 June; Vol. 7, Issue 2, p 210-213.

Personalized implant for high tibial opening wedge: combination of solid freeform fabrication with combustion synthesis process. Zhim F, Ayers RA, Moore JJ, **Moufarrège R**, **Yahia L**. *J Biomater Appl*. 2012 Sep;27(3):323-32.

Pre-operative diplopia: the most important risk factor for diplopia following surgical repair of pure orbital blowout fracture. Tahiri Y, Lee J, Tahiri M, Sinno H, Williams HB, **Lessard L**, Gilardino MS. *Journal of Craniofacial Surgery*, 2010 Jul; 21 (4): 1038-41.

Propranolol in the treatment of infantile hemangioma: review of 35 consecutive cases from a vascular anomaly clinic. Bertrand J, Sammour R, McCuaig C, Hatami A, Ondrejchak S, Boutin C, **Bortoluzzi P**, **Laberge L.C**, Powell J. *Journal of Cutaneous Medicine and Surgery*, Vol 16(2), 115-121, 2012.

Relationship between Funding Sources and Level of evidence in Plastic Surgery Research. Tahiri Y, Kanevsky J, Vorstenbosch J, Winocour S, Sinno H, **Lessard L**, Gilardino M. *Canadian Journal of Plastic Surgery*, 19 (2): 37, June 2011.

Subperiosteal Release of the Floor of the Mouth to Correct Airway Obstruction in Robin Sequence: a review of 31 cases Cleft Palate and Craniofacial. **Caouette-Laberge L**, **Borsuk D.E**, **Bortoluzzi P** *Journal*, Vol 49, (1) 14-20, 2012.

Syndrome de Goltz chez un nouveau-né avec fente labiopalatine Nagalo K, Laberge J.M, Nguyen V.H, **Caouette Laberge L**, Turgeon J, *Archives de Pédiatrie*, 19:160-162, 2012.

Use of IV Heparin in digital replantation and revascularization: the Quebec Provincial Replantation Program Experience. **Nikolis A**, Tahiri Y, St-Supéry V, Landes G, **Harris PG**, **Lessard L**, **Sampalis J**. *Microsurgery* Sept 2011; 31 (6) 421-7.

Utility Assessment of Body Contouring after Massive Weight Loss. Sinno H, Thibaudeau S, Tahiri Y, Mok E, Christodoulou G, **Lessard L**, Williams HB, Lin SJ. *Aesthetic Plastic Surgery*. 2011 Oct. 35 (5): 724-30.

Utility scores for facial disfigurement requiring facial transplantation (outcomes article). SinnoHH Thibaudeau S, Duggal A, **Lessard L**. *Plast ReconstrSurg* 2010 Aug, 126(2):443-9.

Division de la chirurgie thoracique

Acute renal failure following lung transplantation: risk factors, mortality, and long-term consequences. Jacques F, **El-Hamamsy I**, Fortier A, Maltais S, **Perrault LP**, **Liberman M**, **Noiseux N**, **Ferraro P**. *Eur J Cardiothorac Surg*. 2012 Jan;41(1):193-9.

The anniversary issue of diseases of the esophagus. **Duranceau A**, Pandolfino J. *Dis Esophagus*. 2012 May;25(4):279.

Atrial fibrillation after pulmonary transplantation : incidence, impact on mortality, treatment effectiveness, and risk factors. Henri C, Giraldeau G, Dorais M, Cloutier AS, Girard F, **Noiseux N**, **Ferraro P**, Rinfret S. *Circ Arrhythm Electrophysiol*. 2012 Feb;5(1):61-7. Epub 2011 Dec 7.

Balloon-guided, tapered, Polyflex stent guidance : an atraumatic technique for successful stent placement through tight, rigid airway stenoses. **Liberman M**, Wain JC. *J Thorac Cardiovasc Surg*. 2010 Jul;140(1): 248-9.e1.

Cervical video-assisted thoracoscopic surgery using a flexible endoscope for bilateral thoracoscopy. **Liberman M**, Khreba M, Goudie E, Tahiri M, Forcillo J, Gauthier A, Thiffault V, **Duranceau A**, **Ferraro P**. *Ann Thorac Surg*. 2012 Apr;93(4):1321-3.

Clinico-Pathologic Conferences: a new format for maximizing the educational value of case reports published in the Canadian Respiratory Journal. **Rakovich G**. *Can Respir J*. 2012 Jan-Feb;19(1):49.

Clinico-Pathologic Conferences a new format for maximizing the educational value 4 case reports published in the Canadian Respiratory Journal. **Rakovich G**. *Can Respir J*. 2012 Jan-Feb;19(1):43.

A curious lobe.Chabot-Naud A, **Rakovich G**, Chagnon K, **Ouellette D**, **Beauchamp G**. *Can Respir J*, 2011. 18(2): 79-80.

Effects of decorin and biglycan on human airway smooth muscle cell adhesion. D'Antoni ML, Risse PA, **Ferraro P**, **Martin JG**, Ludwig MS. *Matrix Biol*. 2012 Mar;31(2) :101-12.

End-stage achalasia. **Duranceau A**, **Liberman M**, **Martin J**, **Ferraro P**. *Dis Esophagus*. 2012 May;25(4) :319-30.

Endoscopy and the surgeon. **Duranceau A**. *Ann Thorac Cardiovasc Surg*. 2010 Oct;16(5):307-9.

Enhanced Ca²⁺ entry due to Orai1 plasma membrane insertion increases IL-8 secretion by cystic fibrosis airways. Balghi H, Robert R, Rappaz B, Zhang X, Wohlhuter-Haddad A, Evagelidis A, Luo Y, Goepf J, **Ferraro P**, Roméo P, Trebak M, Wiseman PW, Thomas DY, Hanrahan JW. *FASEB J*. 2011 Dec;25(12):4274-91.

The Kagoshima consensus on esophageal achalasia. Triadafilopoulos G, Boecksxtaens GE, Gullo R, Patti MG, Pandolfino JE, Kahrilas PJ, **Duranceau A**, Jamieson G, Zaninotto G. *Dis Esophagus*. 2012 May;25(4):337-48. doi: 10.1111/j.1442-2050.2011.01207.x.

Improvement of defective cystic fibrosis airway epithelial wound repair after CFTR rescue. Trinh NT, Bardou O, Privé A, Maillé E, Adam D, Lingée S, **Ferraro P**, Desrosiers MY, Coraux D, Brochiero E. *Eur Respir J*. 2012 Apr 10. [Epub ahead of print].

Inflammatory pseudotumour of the lung. Kaitoukov Y, **Rakovich G**, Trahan S, Grégoire J. *Can Respir J*. 2011 Nov-Dec;18(6):315-7.

Interleukin-13 inhibits proliferation and enhances contractility of human airway smooth muscle cells without change in contractile phenotype. Risse PA, Jo T, Suarez F, Hirota N, Tolloczko B, **Ferraro P**, Grutter P, **Martin JG**. *Am J Physiol Lung Cell Mol Physiol*. 2011 Jun;300(6):L958-66.

Intrapericardial hernia presenting with syncope. **Liberman M**, **Duranceau A**, Rosu C, **Ferraro P**. *Dis Esophagus*. 2011 Dec 30. *J Immunol Methods*. 2011 Sep 30;372(1-2):119-26.

Monitoring buried jejunum free flaps with a sentinel : a retrospective study of 20 cases. Dionyssopoulos A, Odobescu A, Foroughi Y, **Harri P**, Karagergou E, **Guertin L**, **Ferraro P**, **Danino AM**. *Laryngoscope*. 2012 Mar; 122(3):519-22. doi: 10.1002/lary.22382.

New technique performed by using EUS access for biopsy of para-aortic (station 6) mediastinal lymph nodes without traversing the aorta (with video). **Liberman M**, **Duranceau A**, Grunenwald E, **Martin J**, Thiffault V, Khereba M, **Ferraro P**. *Gastrointest Endosc*. 2011 May;73(5):1048-51.

Obstructive bronchial hamartoma. **Rakovich G**, **Ouellette D**. *CMAJ*. 2011 Sep 20;183(13):E1039.

A patient with an aberrant pulmonary blood supply and recurrent infection. Pescarus R, **Rakovich G**, **Ouellette D**, **Beauchamp G**. *Can Respir J*. 2010 Jul-Aug;17(4):94-5.

Phenotypic characterization and functional analysis of human tumor immune infiltration after mechanical and enzymatic disaggregation. Grange C, Létourneau J, Forget MA, Godin-Ethier J, **Martin J**, **Liberman M**, Latour M, **Widmer H**, **Lattouf JB**, Piccirillo CA, Cailhier JF, **Lapointe R**. *Immunol Methods*. 2011 Sep 30;372(1-2):449-26.

Phenotypic characterization of chronic inflammation in a rare case of endobronchial carcinoma. Gannon PO, Turcotte S, Laporte JL, Saad F, **Lapointe R**, **Duranceau A**. *Cancer Immunol Immunother*. 2010 Sep;59(9):1411-6.

Principles of chest wall resection and reconstruction. **Ferraro P**, Cugno S, **Liberman M**, **Danino AM**, **Harris PG**. *Thorac Surg Clin*. 2010 Nov;20(4):465-73. Review.

Prospective trial evaluating sonography after thoracic surgery in postoperative care and decision making. Goudie E, Bah I, Khereba M, **Ferraro P**, **Duranceau A**, **Martin J**, Thiffault V, **Liberman M**. *Eur J Cardiothorac Surg*. 2012 May;41(5):1025-30.

Survival post surgery for malignant pericardial effusion. Nguyen O, **Ouellette D**. *Clinics and Practice* 2011;1:e38.

Total dysphagia after short course of systemic corticotherapy : herpes simplex virus oesophagitis. Jetté-Côté I, **Ouellette D**, Beliveau C, Mitchell A. *Pré-soumission World Journal of Gastroenterology*, oct. 2012.

Vascular conditioning of the stomach before esophageal reconstruction by gastric interposition. Yuan Y, **Duranceau A**, **Ferraro P**, **Martin J**, **Liberman M**. *Dis Esophagus*. 2012 Jan 31.

Division de la chirurgie urologique

Abiraterone and increased survival in metastatic prostate cancer. de Bono JS, Logothetis CJ, Molina A, Fizazi K, North S, Chu L, Chi KN, Jones RJ, Goodman OB Jr, **Saad F**, Staffurth JN, Mainwaring P, Harland S, Flaig TW, Hutson TE, Cheng T, Patterson H, Hainsworth JD, Ryan CJ, Sternberg CN, Ellard SL, Fléchon A, Saleh M, Scholz M, Efstathiou E, Zivi A, Bianchini D, Loriot Y, Chieffo N, Kheoh T, Haqq CM, Scher HI; COU-AA-301 N Engl J Med. 2011 May 26;364(21):1995-2005.

Age-adjusted incidence, mortality, and survival rates of stage-specific renal cell carcinoma in North America: a trend analysis. Sun M, Thuret R, Abdollah F, Lughezzani G, Schmitges J, Tian Z, Shariat SF, Montorsi F, Patard JJ, **Perrotte P**, **Karakiewicz PI**. *Eur Urol*. 2011 Jan;59(1):135-41.

Androgen deprivation and bone. **Lattouf JB**, Fadlallah H, **Saad F**. *Curr Osteoporos Rep*. 2011 Mar;9(1):20-4.

Androgen-regulated expression of arginase 1, arginase 2 and interleukin-8 in human prostate cancer. Gannon PO, Godin-Ethier J, Hassler M, Delvoe N, Aversa M, Poisson AO, Péant B, Alam Fahmy M, **Saad F**, **Lapointe R**, Mes-Masson AM. *PLoS One*. 2010 Aug 11;5(8):e12107.

Annual prostatectomy volume is related to rectal laceration rate after radical prostatectomy. Schmitges J, **Trinh QD**, Sun M, Abdollah F, Bianchi M, Budäus L, Hansen J, Eichelberg C, **Perrotte P**, Shariat SF, Menon M, Montorsi F, Graefen M, **Karakiewicz PI**. *Urology*. 2012 Apr;79(4):796-803.

Annual surgical caseload and open radical prostatectomy outcomes: improving temporal trends. Budäus L, Abdollah F, Sun M, Morgan M, Johal R, Thuret R, **Zorn KC**, Isbarn H, Shariat SF, Montorsi F, **Perrotte P**, Graefen M, **Karakiewicz PI**. *J Urol*. 2010 Dec;184(6):2285-90.

Application of ice cold irrigation during vascular pedicle control of robot-assisted radical prostatectomy: EnSeal instrument cooling to reduce collateral thermal tissue damage. **Zorn KC**, Bhojani N, Gautam G, Shikanov S, Gofrit ON, Jayram G, Katz MH, Cagiannos I, Budäus L, Abdollah F, Sun M, **Karakiewicz PI**, Shalhav AL, Al-Ahmadie HA. *J Endourol*. 2010 Dec;24(12):1991-6.

Are medicare-based findings applicable to all prostatectomy patients? **Trinh QD**, Sun M, Sammon J, Ghani KR, **Karakiewicz PI**. *J Clin Oncol*. 2012 Jun 20;30(18):2286-7; author reply 2287.

Assessing the clinical benefit of nuclear matrix protein 22 in the surveillance of patients with nonmuscle-invasive bladder cancer and negative cytology: a decision-curve analysis. Shariat SF, Savage C, Chromecki TF, Sun M, Scherr DS, Lee RK, Lughezzani G, Remzi M, Marberger MJ, **Karakiewicz PI**, Vickers AJ. *Cancer*. 2011 Jul 1;117(13):2892-7.

Association of tumor necrosis with pathological features and clinical outcome in 754 patients undergoing radical nephroureterectomy for upper tract urothelial carcinoma: an international validation study. Seitz C, Gupta A, Shariat SF, Matsumoto K, Kassouf W, Walton TJ, Fritsche HM, Otto W, Tritschler S, Bastian PJ, Carballido J, Ficarra V, **Karakiewicz PI**, Artibani W, Mazzoleni G, Novara G. *J Urol*. 2010 Nov;184(5):1895-900.

Biochemical markers of bone turnover and clinical outcomes in men with prostate cancer. **Saad F**, Eastham JA, Smith MR. *Urol Oncol*. 2012 Jul-Aug;30(4):369-78. doi: 10.1016/j.urolonc.2010.08.007. Epub 2010 Dec 16. Review. PubMed PMID: 21163673; PubMed Central PMCID: PMC3107360.

Biochemical recurrence after radical prostatectomy: multiplicative interaction between surgical margin status and pathological stage. Budäus L, Isbarn H, Eichelberg C, Lughezzani G, Sun M, **Perrotte P**, Chun FK, Salomon G, Steuber T, Köllermann J, Sauter G, Ahyai SA, Zacharias M, Fisch M, Schlomm T, Haese A, Heinzer H, Huland H, Montorsi F, Graefen M, **Karakiewicz PI**. *J Urol*. 2010 Oct;184(4):1341-6.

Biomolecular predictors of urothelial cancer behavior and treatment outcomes. Rink M, ChaEK, Green D, Hansen J, Robinson BD, Lotan Y, Sagalowsky AI, Chun FK, **Karakiewicz PI**, Fisch M, Scherr DS, Shariat SF. *Curr Urol Rep*. 2012 Apr;13(2):122-35. doi: 10.1007/s11934-012-0237-1. Review. PMID: 22354565 [PubMed - indexed for MEDLINE].

Bisphosphonate anticancer activity in prostate cancer and other genitourinary cancers. **Saad F**, Mulders P. *Anticancer Agents Med Chem*. 2012 Feb;12(2):129-36. Review. PubMed PMID: 21864229.

Bisphosphonates: prevention of bone metastases in prostate cancer. **Saad F**, **Lattouf JB**. *Recent Results Cancer Res*. 2012;192:109-26.

Blood transfusions in radical prostatectomy: a contemporary population-based analysis. Schmitges J, Sun M, Abdollah F, **Trinh QD**, Jeldres C, Budäus L, Bianchi M, Hansen J, Schlomm T, **Perrotte P**, Graefen M, **Karakiewicz PI**. *Urology*. 2012 Feb;79(2):332-8.

Bone-marker levels in patients with prostate cancer: potential correlations with outcomes. **Saad F**, Lipton A. *Curr Opin Support Palliat Care*. 2010 Sep;4(3):127-34.

Bone-modifying agents in the treatment of bone metastases in patients with advanced genitourinary malignancies: a focus on zoledronic acid. Aapro M, **Saad F**. *Ther Adv Urol*. 2012 Apr;4(2):85-101.

Brain metastasis from urachal carcinoma: the importance of locally aggressive treatment. Tausky D, **Karakiewicz PI**, Latour M, Blais N. *Rare Tumors*. 2012 Jan 2;4(1):e17.

Cancer-specific and other-cause mortality after radical prostatectomy versus observation in patients with prostate cancer: competing-risks analysis of a large North American population-based cohort. Abdollah F, Sun M, Schmitges J, Tian Z, Jeldres C, Briganti A, Shariat SF, **Perrotte P**, Montorsi F, **Karakiewicz PI**. *Eur Urol*. 2011 Nov;60(5):920-30.

Chemoprevention of prostate cancer: myths and realities. Violette PD, **Saad F**. *J Am Board Fam Med*. 2012 Jan-Feb;25(1):111-9.

Chronological age is not an independent predictor of clinical outcomes after radical nephroureterectomy. Chromecki TF, Ehdai B, Novara G, Pummer K, Zigeuner R, Seitz C, Pycha A, Lee RK, Cha EK, **Karakiewicz PI**, Ng C, Raman JD, Chun FK, Fritsche HM, Matsumoto K, Kassouf W, Walton TJ, Bastian PJ, Martínez-Salamanca JI, Scherr DS, Shariat SF. *World J Urol*. 2011 Aug;29(4):473-80.

Clinical nodal staging scores for bladder cancer: a proposal for preoperative risk assessment. Shariat SF, Ehdai B, Rink M, Cha EK, Svatek RS, Chromecki TF, Fajkovic H, Novara G, David SG, Daneshmand S, Fradet Y, Lotan Y, Sagalowsky AI, Clozel T, Bastian PJ, Kassouf W, Fritsche HM, Burger M, Izawa JI, Tilki D, Abdollah F, Chun FK, Sonpavde G, **Karakiewicz PI**, Scherr DS, Gonen M. *Eur Urol*. 2012 Feb;61(2):237-42.

Comparative study of inguinal hernia repair rates after radical prostatectomy or external beam radiotherapy. Lughezzani G, Sun M, **Perrotte P**, Alasker A, Jeldres C, Isbarn H, Budäus L, Lattouf **JB**, Valiquette **L**, Bénard **F**, Saad **F**, Graefen M, Montorsi F, **Karakiewicz PI**. *Int J Radiat Oncol Biol Phys*. 2010 Dec 1;78(5):1307-13.

A competing-risks analysis of survival after alternative treatment modalities for prostate cancer patients: 1988-2006. Abdollah F, Sun M, Thuret R, Jeldres C, Tian Z, Briganti A, Shariat SF, **Perrotte P**, Rigatti P, Montorsi F, **Karakiewicz PI**. *Eur Urol*. 2011 Jan;59(1):88-95.

Concomitant carcinoma in situ in cystectomy specimens is not associated with clinical outcomes after surgery. Nuhn P, Bastian PJ, Novara G, Svatek RS, **Karakiewicz PI**, Skinner E, Fradet Y, Izawa JI, Kassouf W, Montorsi F, Müller SC, Fritsche HM, Sonpavde G, Tilki D, Isbarn H, Ficarra V, Dinney CP, Shariat SF. *Urol Int*. 2011;87(1):42-8.

Concomitant carcinoma in situ as an independent prognostic parameter for recurrence and survival in upper tract urothelial carcinoma: a multicenter analysis of 772 patients. Otto W, Shariat SF, Fritsche HM, Gupta A, Matsumoto K, Kassouf W, Martignoni G, Walton TJ, Tritschler S, Baba S, Bastian PJ, Martínez-Salamanca JI, Seitz C, Pycha A, Burger M, **Karakiewicz PI**, Ficarra V, Novara G. *World J Urol*. 2011 Aug;29(4):487-94.

Conditional survival predictions after surgery for patients with penile carcinoma. Thuret R, Sun M, Abdollah F, Schmitges J, Shariat SF, Iborra F, Guitier J, Patard JJ, **Perrotte P**, **Karakiewicz PI**. *Cancer*. 2011 Aug 15;117(16):3723-30.

Consensus on the utility of bone markers in the malignant bone disease setting. Coleman R, Costa L, **Saad F**, Cook R, Hadji P, Terpos E, Garnero P, Brown J, Body JJ, Smith M, Lee KA, Major P, Dimopoulos M, Lipton A. *Crit Rev Oncol Hematol*. 2011 Dec;80(3):411-32.

A contemporary population-based assessment of the rate of lymph node dissection for penile carcinoma. Thuret R, Sun M, Lughezzani G, Budäus L, Liberman D, Abdollah F, Morgan M, Johal R, Jeldres C, Latour M, Shariat SF, Iborra F, Guitier J, Patard JJ, **Perrotte P**, **Karakiewicz PI**. *Ann Surg Oncol*. 2011 Feb;18(2):439-46.

The contemporary role of lymph node dissection during nephroureterectomy in the management of upper urinary tract urothelial carcinoma: the Canadian experience. Mason RJ, Kassouf W, Bell DG, Lacombe L, Kapoor A, Jacobsen N, Fairley A, Izawa J, Black P, Tanguay S, Chin J, So A, **Lattouf JB**, **Saad F**, Matsumoto E, Drachenberg D, Cagiannos I, Fradet Y, Rendon RA. *Urology*. 2012 Apr;79(4):840-5.

Cooperative Group Cancer Clinical Trials: An NCIC Clinical Trials Group Perspective. Meyer RM, Stanton HA, Parulekar WR, **Saad F**. *Can Urol Assoc J*. 2011 Dec;5(6):379-81.

Could targeting bone delay cancer progression? Potential mechanisms of action of bisphosphonates. Aft R, Perez JR, Raje N, Hirsh V, **Saad F**. *Crit Rev Oncol Hematol*. 2012 May;82(2):233-48.

Critical assessment of the European Association of Urology guideline indications for pelvic lymph node dissection at radical prostatectomy. Abdollah F, Sun M, Briganti A, Thuret R, Schmitges J, Gallina A, Suardi N, Capitanio U, Salonia A, Shariat SF, **Perrotte P**, Rigatti P, Montorsi F, **Karakiewicz PI**. *BJU Int*. 2011 Dec;108(11):1769-75.

The current role of circulating tumor cells in the diagnosis and management of bone metastases in advanced prostate cancer. **Saad F**, Pantel K. *Future Oncol*. 2012 Mar;8(3):321-31.

Cytoreductive nephrectomy in the elderly: a population-based cohort from the USA. Sun M, Abdollah F, Schmitges J, Bianchi M, Tian Z, Shariat SF, **Zorn K**, Pharand D, **Widmer H**, Graefen M, Montorsi F, **Perrotte P**, **Karakiewicz PI**. *BJU Int*. 2012 Jun;109(12):1807-12.

Death certificates are valid for the determination of cause of death in patients with upper and lower tract urothelial carcinoma. Rink M, Fajkovic H, Cha EK, Gupta A, **Karakiewicz PI**, Chun FK, Lotan Y, Shariat SF. *Eur Urol*. 2012 Apr;61(4):854-5.

Decision curve analysis assessing the clinical benefit of NMP22 in the detection of bladder cancer: secondary analysis of a prospective trial. Barbieri CE, Cha EK, Chromecki TF, Dunning A, Lotan Y, Svatek RS, Scherr DS, **Karakiewicz PI**, Sun M, Mazumdar M, Shariat SF. *BJU Int*. 2012 Mar;109(5):685-90.

Decreasing rate and extent of lymph node staging in patients undergoing radical prostatectomy may undermine the rate of diagnosis of lymph node metastases in prostate cancer. Abdollah F, Sun M, Thuret R, Budäus L, Jeldres C, Graefen M, Briganti A, **Perrotte P**, Rigatti P, Montorsi F, **Karakiewicz PI**. *Eur Urol*. 2010 Dec;58(6):882-92. doi: 10.1016/j.eururo.2010.09.029. Epub 2010 Sep 28.

Denosumab and bone-metastasis-free survival in men with castration-resistant prostate cancer: results of a phase 3, randomised, placebo-controlled trial. Smith MR, **Saad F**, Coleman R, Shore N, Fizazi K, Tombal B, Miller K, Sieber P, Karsh L, Damião R, Tammela TL, Egerdie B, Van Poppel H, Chin J, Morote J, Gómez-Veiga F, Borkowski T, Ye Z, Kupic A, Dansey R, Goessl C. *Lancet*. 2012 Jan 7;379(9810):39-46.

Denosumab and changes in bone turnover markers during androgen deprivation therapy for prostate cancer. Smith MR, **Saad F**, Egerdie B, Sieber P, Tammela TL, Leder BZ, Ke C, Goessl C. *J Bone Miner Res*. 2011 Dec;26(12):2827-33.

Development of pediatric wait time access targets. James G. Wright, MD, MPH, Kayi Li, BHSc, Cathy Seguin, RN, MBA, Marilyn Booth, RN, BA, MHSc, Peter Fitzgerald, Hon BA, MA, MD, Sarah Jones, MD, PhD, Kellie K. Leitch, MD, MBA, Baxter Willis, BA, MD. The Canadian Paediatric Surgical Wait Times Study Group. *Can J Surg*, Vol. 54, No. 2, April 2011.

Development and validation of a reference table for prediction of postoperative mortality rate in patients treated with radical cystectomy: a population-based study. Abdollah F, Sun M, Schmitges J, Thuret R, Djahangirian O, Jeldres C, Tian Z, Shariat SF, **Perrotte P**, Montorsi F, **Karakiewicz PI**. *Ann Surg Oncol*. 2012 Jan;19(1):309-17.

Discharge patterns after radical cystectomy: contemporary trends in the United States. Bianchi M, **Trinh QD**, Sun M, Sammon J, Schmitges J, Shariat SF, Sukumar S, Ghani KR, Jeldres C, **Perrotte P**, Rogers CG, Briganti A, Peabody JO, Montorsi F, Menon M, **Karakiewicz PI**. *J Urol*. 2012 Apr;187(4):1206-9.

Discrepancy between clinical and pathological stage: external validation of the impact on prognosis in an international radical cystectomy cohort. Svatek RS, Shariat SF, Novara G, Skinner EC, Fradet Y, Bastian PJ, Kamat AM, Kassouf W, **Karakiewicz PI**, Fritsche HM, Izawa JI, Tilki D, Ficarra V, Volkmer BG, Isbarn H, Dinney CP. *BJU Int*. 2011 Mar;107(6):898-904.

Disease-free survival at 2 or 3 years correlates with 5-year overall survival of patients undergoing radical cystectomy for muscle invasive bladder cancer. Sonpavde G, Khan MM, Lerner SP, Svatek RS, Novara G, **Karakiewicz PI**, Skinner E, Tilki D, Kassouf W, Fradet Y, Dinney CP, Fritsche HM, Izawa JI, Bastian PJ, Ficarra V, Schoenberg M, Sagalowsky AI, Lotan Y, Shariat SF. *J Urol*. 2011 Feb;185(2):456-61.

Disease progression increases the risk of skeletal-related events in patients with bone metastases from castration-resistant prostate cancer, lung cancer, or other solid tumors. Tchekmedyian NS, Chen YM, **Saad F**. *Cancer Invest*. 2010 Oct;28(8):849-55.

PUBLICATIONS

Distribution of metastatic sites in renal cell carcinoma: a population-based analysis. Bianchi M, Sun M, Jeldres C, Shariat SF, **Trinh QD**, Briganti A, Tian Z, Schmitges J, Graefen M, **Perrotte P**, Menon M, Montorsi F, **Karakiewicz PI**. *Ann Oncol*. 2012 Apr;23(4):973-80.

Documenting the prevalence of cryptorchidism and hypospadias. **Barrieras D**. *Can Urol Assoc J*. 2011 Jun;5(3):172.

Does preoperative symptom classification impact prognosis in patients with clinically localized upper-tract urothelial carcinoma managed by radical nephroureterectomy? Raman JD, Shariat SF, **Karakiewicz PI**, Lotan Y, Sagalowsky AI, Roscigno M, Montorsi F, Bolenz C, Weizer AZ, Wheat JC, Ng CK, Scherr DS, Remzi M, Waldert M, Wood CG, Margulis V; Upper-Tract Urothelial Carcinoma Collaborative Group. *Urol Oncol*. 2011 Nov-Dec;29(6):716-23.

Editorial comment. Sun M, **Trinh QD**, **Karakiewicz PI**. *J Urol*. 2011 Nov;186(5):1777-8.

The effect of annual surgical caseload on the rates of in-hospital pneumonia and other in-hospital outcomes after radical prostatectomy. Schmitges J, **Trinh QD**, Bianchi M, Sun M, Abdollah F, Ahyai SA, Jeldres C, Steuber T, **Perrotte P**, Shariat SF, Menon M, Montorsi F, Graefen M, **Karakiewicz PI**. *Int Urol Nephrol*. 2012 Jun;44(3):799-806.

The effect of insurance status on outcomes after partial nephrectomy. Abdo A, **Trinh QD**, Sun M, Schmitges J, Bianchi M, Sammon J, Shariat SF, Sukumar S, **Zorn KC**, Jeldres C, **Perrotte P**, Rogers CG, Peabody JO, Menon M, **Karakiewicz PI**. *Int Urol Nephrol*. 2012 Apr;44(2):343-51.

The effect of marital status on stage and survival of prostate cancer patients treated with radical prostatectomy: a population-based study. Abdollah F, Sun M, Thuret R, Abdo A, Morgan M, Jeldres C, Shariat SF, **Perrotte P**, Montorsi F, **Karakiewicz PI**. *Cancer Causes Control*. 2011 Aug;22(8):1085-95.

The effectiveness of off-protocol adjuvant chemotherapy for patients with urothelial carcinoma of the urinary bladder. Svatek RS, Shariat SF, Lasky RE, Skinner EC, Novara G, Lerner SP, Fradet Y, Bastian PJ, Kassouf W, **Karakiewicz PI**, Fritsche HM, Müller SC, Izawa JI, Ficarra V, Sagalowsky AI, Schoenberg MP, Siefker-Radtke AO, Millikan RE, Dinney CP. *Clin Cancer Res*. 2010 Sep 1;16(17):4461-7. doi: 10.1158/1078-0432.CCR-10-0457.

eIF4E phosphorylation promotes tumorigenesis and is associated with prostate cancer progression. Furic L, Rong L, Larsson O, Koumakpayi IH, Yoshida K, Brueschke A, Petroulakis E, Robichaud N, Pollak M, Gaboury LA, Pandolfi PP, **Saad F**, Sonenberg N. *Proc Natl Acad Sci U S A*. 2010 Aug 10;107(32):14134-9.

Emerging biomarkers for prostate cancer diagnosis, staging, and prognosis. Shariat SF, Scherr DS, Gupta A, Bianco FJ Jr, **Karakiewicz PI**, Zeltser IS, Samadi DB, Akhavan A. *Arch Esp Urol*. 2011 Oct;64(8):681-94. Review. English, Spanish.

ErbB2/Her-2 regulates the expression of Akt2 in prostate cancer cells. Le Page C, Koumakpayi IH, Péant B, Delvoye N, **Saad F**, Mes-Masson AM. *Prostate*. 2012 May 15;72(7):777-88.

Establishing milestones in urology training: A survey of the Canadian Academy of Urological Surgeons. Nayan M, **Houle AM**, McDougall E, Fried GM, Andonian S. *Can Urol Assoc J*. 2012 Jun;6(3):168-74.

External validation of postoperative nomograms for prediction of all-cause mortality, cancer-specific mortality, and recurrence in patients with urothelial carcinoma of the bladder. Nuhn P, May M, Sun M, Fritsche HM, Brookman-May S, Buchner A, Bolenz C, Moritz R, Herrmann E, Burger M, Tilki D, Trojan L, **Perrotte P**, Haferkamp A, Hohenfellner M, Wieland WF, Müller SC, **Karakiewicz PI**, Bastian PJ. *Eur Urol*. 2012 Jan;61(1):58-64.

External validation of a preoperative nomogram for prediction of the risk of recurrence after radical prostatectomy. Isbarn H, **Karakiewicz PI**, Walz J, Ahyai SA, Steuber T, Haese A, Budäus L, Schlomm T, Eichelberg C, Heuer R, Heinzer H, Huland H, Graefen M, Chun FK. *Int J Radiat Oncol Biol Phys*. 2010 Jul 1;77(3):788-92.

Factors affecting outcome in renal cell carcinoma. Sun M, Shariat SF, **Karakiewicz PI**. *Curr Opin Urol*. 2010 Sep;20(5):355-60.

Gender differences in radical nephroureterectomy for upper tract urothelial carcinoma. Shariat SF, Favaretto RL, Gupta A, Fritsche HM, Matsumoto K, Kassouf W, Walton TJ, Tritschler S, Baba S, Matsushita K, Bastian PJ, Martínez-Salamanca JJ, Seitz C, Pycha A, Otto W, **Karakiewicz PI**, Ficarra V, Novara G. *World J Urol*. 2011 Aug;29(4):481-6.

Gleason 6 prostate cancer in one or two biopsy cores can harbor more aggressive disease. Katz MH, Shikanov S, Sun M, Abdollah F, Budäus L, Gong EM, Eggener SE, Steinberg GD, Zagaja GP, Shalhav AL, **Karakiewicz PI**, **Zorn KC**. *J Endourol*. 2011 Apr;25(4):699-703.

Guidelines for the management of castrate-resistant prostate cancer. **Saad F**, Hotte SJ. *Can Urol Assoc J*. 2010 Dec;4(6):380-4. PubMed PMID: 21191494; PubMed Central PMCID: PMC2997826.

Head to head comparison of nomograms predicting probability of lymph node invasion of prostate cancer in patients undergoing extended pelvic lymph node dissection. Walz J, Bladou F, Rousseau B, Laroche J, Salem N, Gravis G, Briganti A, Chun FK, **Karakiewicz PI**, Fournier G. *Urology*. 2012 Mar;79(3):546-51. doi: 10.1016/j.urology.2011.11.036. PMID: 22386393 [PubMed - indexed for MEDLINE].

Head-to-head comparison of three commonly used preoperative tools for prediction of lymph node invasion at radical prostatectomy. Abdollah F, Schmitges J, Sun M, Thuret R, Djahangirian O, Tian Z, Shariat SF, Briganti A, **Perrotte P**, Montorsi F, **Karakiewicz PI**. *Urology*. 2011 Dec;78(6):1363-7.

Highly predictive survival nomogram after upper urinary tract urothelial carcinoma. Jeldres C, Sun M, Lughezzani G, Isbarn H, Shariat SF, **Widmer H**, Graefen M, Montorsi F, **Perrotte P**, **Karakiewicz PI**. *Cancer*. 2010 Aug 15;116(16):3774-84.

Hospital and surgical caseload are predictors of comprehensive surgical treatment for bladder cancer: a population based study. Abdollah F, Schmitges J, Sun M, Thuret R, Djahangirian O, Jeldres C, Shariat SF, Graefen M, **Perrotte P**, Montorsi F, **Karakiewicz PI**. *J Urol*. 2011 Sep;186(3):824-8.

Hospital volume is a determinant of postoperative complications, blood transfusion and length of stay after radical or partial nephrectomy. Sun M, Bianchi M, **Trinh QD**, Abdollah F, Schmitges J, Jeldres C, Shariat SF, Graefen M, Montorsi F, **Perrotte P**, **Karakiewicz PI**. *J Urol*. 2012 Feb;187(2):405-10.

How can we predict lymphorrhoea and clinically significant lympho-coeles after radical prostatectomy and pelvic lymphadenectomy? Clinical implications. Capitanio U, Pellucchi F, Gallina A, Briganti A, Suardi N, Salonia A, Abdollah F, Di Trapani E, Jeldres C, Cestari A, **Karakiewicz PI**, Montorsi F. *BJU Int*. 2011 Apr;107(7):1095-101.

Human epidermal growth factor receptor 2 expression status provides independent prognostic information in patients with urothelial carcinoma of the urinary bladder. Bolenz C, Shariat SF, **Karakiewicz PI**, Ashfaq R, Ho R, Sagalowsky AI, Lotan Y. *BJU Int*. 2010 Oct;106(8):1216-22.

IkB-Kinase-ε (IKKε/IKKi/IkBKε) expression and localization in prostate cancer tissues. Péant B, Forest V, Trudeau V, Latour M, Mes-Masson AM, **Saad F**. *Prostate*. 2011 Jul;71(10):1131-8.

Immunohistochemical biomarkers for bladder cancer prognosis. Matsushita K, Cha EK, Matsumoto K, Baba S, Chromecki TF, Fajkovic H, Sun M, **Karakiewicz PI**, Scherr DS, Shariat SF. *Int J Urol*. 2011 Sep;18(9):616-29.

Impact of annual surgical volume on length of stay in patients undergoing minimally invasive prostatectomy: a population-based study. Budäus L, Morgan M, Abdollah F, **Zorn KC**, Sun M, Johal R, Thuret R, Abdo A, Schmitges J, Isbarn H, Jeldres C, **Perrotte P**, Graefen M, **Karakiewicz PI**. *Eur J Surg Oncol*. 2011 May;37(5):429-34.

Impact of caseload on total hospital charges: a direct comparison between minimally invasive and open radical prostatectomy--a population based study. Abdollah F, Budäus L, Sun M, Morgan M, Johal R, Thuret R, **Zorn KC**, Isbarn H, Haese A, Jeldres C, **Perrotte P**, Montorsi F, Graefen M, **Karakiewicz PI**. *J Urol*. 2011 Mar;185(3):855-61.

Impact of gender on bladder cancer incidence, staging, and prognosis. Fajkovic H, Halpern JA, Cha EK, Bahadori A, Chromecki TF, **Karakiewicz PI**, Breinl E, Merseburger AS, Shariat SF. *World J Urol*. 2011 Aug;29(4):457-63.

Impact of surgical experience on in-hospital complication rates in patients undergoing minimally invasive prostatectomy: a population-based study. Budäus L, Sun M, Abdollah F, **Zorn KC**, Morgan M, Johal R, Liberman D, Thuret R, Isbarn H, Salomon G, Haese A, Montorsi F, Shariat SF, **Perrotte P**, Graefen M, **Karakiewicz PI**. *Ann Surg Oncol*. 2011 Mar;18(3):839-47.

The impact of surgical experience on total hospital charges for minimally invasive prostatectomy: a population-based study. Budäus L, Abdollah F, Sun M, Johal R, Morgan M, Thuret R, **Zorn KC**, Lughezzani G, Isbarn H, Haese A, Shariat SF, Montorsi F, **Perrotte P**, Graefen M, **Karakiewicz PI**. *BJU Int*. 2011 Sep;108(6):888-93.

The impact of tumor multifocality on outcomes in patients treated with radical nephroureterectomy. Chromecki TF, Cha EK, Fajkovic H, Margulis V, Novara G, Scherr DS, Lotan Y, Raman JD, Kassouf W, Bensalah K, Weizer A, Kikuchi E, Roscigno M, Remzi M, Matsumoto K, Walton TJ, Pycha A, Ficarra V, **Karakiewicz PI**, Zigeuner R, Pummer K, Shariat SF. *Eur Urol*. 2012 Feb;61(2):245-53.

The importance of pelvic lymph node dissection in the elderly population: implications for interpreting the 2010 National Comprehensive Cancer Network practice guidelines for bladder cancer treatment. Abdollah F, Sun M, Shariat SF, Schmitges J, Djahangirian O, Tian Z, Jeldres C, **Perrotte P**, Montorsi F, **Karakiewicz PI**. *J Urol*. 2011 Jun;185(6):2078-84.

Improvement of racial disparities with respect to the utilization of minimally invasive radical prostatectomy in the United States. **Trinh QD**, Schmitges J, Sun M, Sukumar S, Sammon J, Shariat SF, Jeldres C, Bianchi M, Tian Z, **Perrotte P**, Rogers CG, Graefen M, Peabody JO, Menon M, **Karakiewicz PI**. *Cancer*. 2012 Apr 1;118(7):1894-900.

Influence of pH on the Cytotoxic Activity of Inositol Hexakisphosphate (IP6) in Prostate Cancer. Betton B, Gannon PO, Koumakpayi IH, Diallo JS, Mes-Masson AM, **Saad F**. *Front Oncol*. 2011;1:40.

Integrative molecular profiling reveals asparagine synthetase is a target in castration-resistant prostate cancer. Sircar K, Huang H, Hu L, Cogdell D, Dhillon J, Tzelepi V, Efstathiou E, Koumakpayi IH, **Saad F**, Luo D, Bismar TA, Aparicio A, Troncoso P, Navone N, Zhang, W. *Am J Pathol*. 2012 Mar;180(3):895-903.

An international expanded-access programme of everolimus: addressing safety and efficacy in patients with metastatic renal cell carcinoma who progress after initial vascular endothelial growth factor receptor-tyrosine kinase inhibitor therapy. Grünwald V, **Karakiewicz PI**, Bavbek SE, Miller K, Machiels JP, Lee SH, Larkin J, Bono P, Rha SY, Castellano D, Blank CU, Knox JJ, Hawkins R, Anak O, Rosamilia M, Booth J, Pirotta N, Bodrogi ; REACT Study Group. *Eur J Cancer*. 2012 Feb;48(3):324-32.

Learning from history or the rationale for considering surgical correction of vesicoureteral reflux. Riddell J, **Franc-Guimond J**. *Can Urol Assoc J*. 2010 Aug;4(4):280-3.

Macropinocytosis inhibitors and Arf6 regulate ErbB3 nuclear localization in prostate cancer cells. Koumakpayi IH, Le Page C, Delvoe N, **Saad F**. *Mes-Masson AM. Mol Carcinog*. 2011 Nov;50(11):901-12.

Management of castration-resistant prostate cancer: bisphosphonates and emerging therapies. **Saad F**, Colombel M. *Expert Rev Anticancer Ther*. 2010 Dec;10(12):1991-2002.

Management of prostate cancer in older men: recommendations of a working group of the International Society of Geriatric Oncology. Droz JP, Balducci L, Bolla M, Emberton M, Fitzpatrick JM, Joniau S, Kattan MW, Monfardini S, Moul JW, Naeim A, van Poppel H, **Saad F**, Sternberg CN. *BJU Int*. 2010 Aug;106(4):462-9.

Management of upper urinary tract urothelial carcinoma. Sun M, Abdo A, Abdollah F, Schmitges J, Thuret R, Jeldres C, Shariat SF, **Perrotte P**, **Karakiewicz PI**. *Expert Rev Anticancer Ther*. 2010 Dec;10(12):1955-65.

Morbidity and mortality of radical prostatectomy differs by insurance status. **Trinh QD**, Schmitges J, Sun M, Sammon J, Shariat SF, **Zorn K**, Sukumar S, Bianchi M, **Perrotte P**, Graefen M, Rogers CG, Peabody JO, Menon M, **Karakiewicz PI**. *Cancer*. 2012 Apr 1;118(7):1803-10.

Mortality and morbidity after cytoreductive nephrectomy for metastatic renal cell carcinoma: a population-based study. Abdollah F, Sun M, Thuret R, Schmitges J, Shariat SF, **Perrotte P**, Montorsi F, **Karakiewicz PI**. *Ann Surg Oncol*. 2011 Oct;18(10):2988-96.

Multifocal carcinoma in situ of the upper tract is associated with high risk of bladder cancer recurrence. Xylinas E, Rink M, Margulis V, **Karakiewicz P**, Novara G, Shariat SF; Upper Tract Urothelial Carcinoma Collaboration (UTUCC). *Eur Urol*. 2012 May;61(5):1069-70.

The Natural History of Severe Antenatal Hydronephrosis Due to Ureteropelvic Junction Syndrome. Riddell Jonathan, Jeldres Claudio, Lambert Raymond, **Franc-Guimond Julie**, **Barrieras Diego**, **Houle Anne-Marie**. *CAUJ*, June 2011, Volume 5(3Suppl1).

New therapies for castration-resistant prostate cancer: efficacy and safety. Beltran H, Beer TM, Carducci MA, de Bono J, Gleave M, Hussain M, Kelly WK, **Saad F**, Sternberg C, Tagawa ST, Tannock IF. *Eur Urol*. 2011 Aug;60(2):279-90.

A non-cancer-related survival benefit is associated with partial nephrectomy. Sun M, **Trinh QD**, Bianchi M, Hansen J, Hanna N, Abdollah F, Shariat SF, Briganti A, Montorsi F, **Perrotte P**, **Karakiewicz PI**. *Eur Urol*. 2012 Apr;61(4):725-31.

A novel method of cell embedding for tissue microarrays Zietarska M, Madore J, Diallo JS, Delvoe N, **Saad F**, Provencher D, Mes-Masson AM. *Histopathology*. 2010 Aug;57(2):323-9.

Novel method of knotless vesicourethral anastomosis during robot-assisted radical prostatectomy: feasibility study and early outcomes in 30 patients using the interlocked barbed unidirectional V-LOC180 suture. **Zorn KC**, **Widmer H**, **Lattouf JB**, Liberman D, Bhojani N, **Trinh QD**, Sun M, **Karakiewicz PI**, Denis R, El-Hakim A. *Can Urol Assoc J*. 2011 Jun;5(3):188-94.

The novel nomogram of Gleason sum upgrade: possible application for the eligible criteria of low dose rate brachytherapy. Budäus L, Graefen M, Salomon G, Isbarn H, Lughezzani G, Sun M, Chun FK, Schlomm T, Steuber T, Haese A, Koellermann J, Sauter G, Fisch M, Heinzer H, Huland H, **Karakiewicz PI**. *Int J Urol*. 2010 Oct;17(10):862-8.

Obesity adversely impacts disease specific outcomes in patients with upper tract urothelial carcinoma. Ehdäie B, Chromecki TF, Lee RK, Lotan Y, Margulis V, **Karakiewicz PI**, Novara G, Raman JD, Ng C, Lowrance WT, Scherr DS, Shariat SF. *J Urol*. 2011 Jul;186(1):66-72.

Obesity is associated with worse oncological outcomes in patients treated with radical cystectomy. Chromecki TF, Cha EK, Fajkovic H, Rink M, Ehdäie B, Svatek RS, **Karakiewicz PI**, Lotan Y, Tilki D, Bastian PJ, Daneshmand S, Kassouf W, Durand M, Novara G, Fritsche HM, Burger M, Izawa JI, Brisuda A, Babjuk M, Pummer K, Shariat SF. *BJU Int*. 2012 Jun 21.

Observation versus Immediate Intervention in Ureteropelvic Junction Obstruction: Does It Matter? Stearns, Gillian; Reeder, Jay; **Barrieras, Diego**; **Houle, Anne-Marie**; **Franc-Guimond, Julie**; Riddell Jonathan. *CAUJ*. June 2012 Volume 6(3Suppl1).

Oncological outcomes after laparoscopic and open radical nephroureterectomy: results from an international cohort. Walton TJ, Novara G, Matsumoto K, Kassouf W, Fritsche HM, Artibani W, Bastian PJ, Martínez-Salamanca JI, Seitz C, Thomas SA, Ficarra V, Burger M, Tritschler S, **Karakiewicz PI**, Shariat SF. *BJU Int*. 2011 Aug;108(3):406-12.

Open radical prostatectomy in the elderly: a case for concern? **Trinh QD**, Schmitges J, Sun M, Shariat SF, Sukumar S, Tian Z, Bianchi M, Sammon J, **Perrotte P**, Rogers CG, Graefen M, Peabody JO, Menon M, **Karakiewicz PI**. *BJU Int*. 2012 May;109(9):1335-40.

Optimizing clinical benefits of bisphosphonates in cancer patients with bone metastases. Aapro M, **Saad F**, Costa L. *Oncologist*. 2010;15(11):1147-58.

p53 inhibits angiogenesis by inducing the production of Arresten. Assadian S, El-Assaad W, Wang XQ, Gannon PO, Barrès V, Latour M, Mes-Masson AM, **Saad F**, Sado Y, Dostie J, Teodoro JG. *Cancer Res*. 2012 Mar 1;72(5):1270-9.

Pathological results and rates of treatment failure in high-risk prostate cancer patients after radical prostatectomy. Walz J, Joniau S, Chun FK, Isbarn H, Jeldres C, Yossepowitch O, Chao-Yu H, Klein EA, Scardino PT, Reuther A, Poppel HV, Graefen M, Huland H, **Karakiewicz PI**. *BJU Int*. 2011 Mar;107(5):765-70.

Penile cancer: what's new? **Letendre J**, **Saad F**, **Lattouf JB**. *Curr Opin Support Palliat Care*. 2011 Sep;5(3):185-91.

Perioperative mortality is significantly greater in septuagenarian and octogenarian patients treated with radical cystectomy for urothelial carcinoma of the bladder. Liberman D, Lughezzani G, Sun M, Alasker A, Thuret R, Abdollah F, Budäus L, **Widmer H**, Graefen M, Montorsi F, Shariat SF, **Perrotte P**, **Karakiewicz PI**. *Urology*. 2011 Mar;77(3):660-6.

Perioperative outcomes of robot-assisted radical prostatectomy compared with open radical prostatectomy: results from the nationwide inpatient sample. **Trinh QD**, Sammon J, Sun M, Ravi P, Ghani KR, Bianchi M, Jeong W, Shariat SF, Sammon J, Schmitges J, Jeldres C, Rogers CG, Peabody JO, Montorsi F, Menon M, **Karakiewicz PI**. *Eur Urol*. 2012 Apr;61(4):679-85.

A population-based analysis of temporal perioperative complication rates after minimally invasive radical prostatectomy. Schmitges J, **Trinh QD**, Abdollah F, Sun M, Bianchi M, Budäus L, **Zorn K**, Perotte P, Schlomm T, Haese A, Tian Z, **Perrotte P**, Montorsi F, Menon M, Graefen M, **Karakiewicz PI**. *Eur Urol*. 2011 Sep;60(3):564-71.

A population-based assessment of the National Comprehensive Cancer Network practice guideline indications for pelvic lymph node dissection at radical prostatectomy. Abdollah F, Schmitges J, Sun M, Shariat SF, Briganti A, Abdo A, Tian Z, **Perrotte P**, Montorsi F, **Karakiewicz PI**. *BJU Int*. 2012 Apr;109(8):1177-82.

A population-based comparison of cancer-control rates between radical and partial nephrectomy for T1A renal cell carcinoma. Crépel M, Jeldres C, Sun M, Lughezzani G, Isbarn H, Alasker A, Capitanio U, Shariat SF, Arjane P, **Widmer H**, Graefen M, Montorsi F, **Perrotte P**, **Karakiewicz PI**. *Urology*. 2010 Oct;76(4):883-8.

A population-based competing-risks analysis of the survival of patients treated with radical cystectomy for bladder cancer. Lughezzani G, Sun M, Shariat SF, Budäus L, Thuret R, Jeldres C, Liberman D, Montorsi F, **Perrotte P**, **Karakiewicz PI**. *Cancer*. 2011 Jan 1;117(1):103-9.

Predicting clinical outcomes after radical nephroureterectomy for upper tract urothelial carcinoma. Cha EK, Shariat SF, Kormaksson M, Novara G, Chromecki TF, Scherr DS, Lotan Y, Raman JD, Kassouf W, Zigeuner R, Remzi M, Bensalah K, Weizer A, Kikuchi E, Bolenz C, Roscigno M, Koppie TM, Ng CK, Fritsche HM, Matsumoto K, Walton TJ, Ehdaie B, Tritschler S, Fajkovic H, Martinez-Salamanca JJ, Pycha A, Langner C, Ficarra V, Patard JJ, Montorsi F, Wood CG, **Karakiewicz PI**, Margulis V. *Eur Urol*. 2012 Apr;61(4):818-25.

Prediction of progression-free survival rates after bevacizumab plus interferon versus interferon alone in patients with metastatic renal cell carcinoma: comparison of a nomogram with the Motzer criteria. **Karakiewicz PI**, Sun M, Bellmunt J, Sneller V, Escudier B. *Eur Urol*. 2011 Jul;60(1):48-56.

Predictive and prognostic models in radical prostatectomy candidates: a critical analysis of the literature. Lughezzani G, Briganti A, **Karakiewicz PI**, Kattan MW, Montorsi F, Shariat SF, Vickers AJ. *Eur Urol*. 2010 Nov;58(5):687-700.

Predictive models before and after radical prostatectomy. Capitanio U, Briganti A, Gallina A, Suardi N, **Karakiewicz PI**, Montorsi F, Scattoni V. *Prostate*. 2010 Sep 1;70(12):1371-8.

Prenatal diagnosis of small omphalocele with umbilical bladder evagination. Riddell Jonathan, Houle Anne-Marie, Franc-Guimond, Julie, Barrieras, Diego. *CUAJ*, June 2011, Volume 5(3Suppl1).

Preoperative multivariable prognostic model for prediction of nonorgan confined urothelial carcinoma of the upper urinary tract. Margulis V, Youssef RF, **Karakiewicz PI**, Lotan Y, Wood CG, Zigeuner R, Kikuchi E, Weizer A, Raman JD, Remzi M, Roscigno M, Montorsi F, Bolenz C, Kassouf W, Shariat SF; Upper Tract Urothelial Carcinoma Collaborative Group. *J Urol*. 2010 Aug;184(2):453-8.

Prognostic factors and predictive models in renal cell carcinoma: a contemporary review. Sun M, Shariat SF, Cheng C, Ficarra V, Murai M, Oudard S, Pantuck AJ, Zigeuner R, **Karakiewicz PI**. *Eur Urol*. 2011 Oct;60(4):644-61.

Prognostic factors for upper urinary tract urothelial carcinoma. Chromecki TF, Bensalah K, Remzi M, Verhoest G, Cha EK, Scherr DS, Novara G, **Karakiewicz PI**, Shariat SF; Medscape. *Nat Rev Urol*. 2011 Jul 5;8(8):440-7.

Prognostic risk stratification of pathological stage T2N0 bladder cancer after radical cystectomy. Sonpavde G, Khan MM, Svatek RS, Lee R, Novara G, Tilki D, Lerner SP, Amiel GE, Skinner E, **Karakiewicz PI**, Bastian PJ, Kassouf W, Fritsche HM, Izawa JI, Ficarra V, Dinney CP, Lotan Y, Fradet Y, Shariat SF. *BJU Int*. 2011 Sep;108(5):687-92.

Prognostic risk stratification of pathological stage T3N0 bladder cancer after radical cystectomy. Sonpavde G, Khan MM, Svatek RS, Lee R, Novara G, Tilki D, Lerner SP, Amiel GE, Skinner E, **Karakiewicz PI**, Bastian PJ, Kassouf W, Fritsche HM, Izawa JI, Scherr DS, Ficarra V, Dinney CP, Lotan Y, Fradet Y, Shariat SF. *J Urol*. 2011 Apr;185(4):1216-21.

Prognostic role of serum parathyroid hormone levels in advanced prostate cancer patients undergoing zoledronic acid administration. Berruti A, Cook R, **Saad F**, Buttigliero C, Lipton A, Tampellini M, Lee KA, Coleman RE, Smith MR. *Oncologist*. 2012;17(5):645-52.

Prognostic significance of a positive surgical margin in pathologically organ-confined prostate cancer. Ahyai SA, Zacharias M, Isbarn H, Steuber T, Eichelberg C, Köllermann J, Fisch M, **Karakiewicz PI**, Huland H, Graefen M, Chun FK. *BJU Int*. 2010 Aug;106(4):478-83.

The prognostic value of erythrocyte polyamines in the preoperative evaluation of patients with renal cell carcinoma. Lughezzani G, **Karakiewicz PI**, Bigot P, **Perrotte P**, Crépel M, Rioux-Leclercq N, Catros-Quemener V, Moulinoux JP, Bouet F, Cipolla B, Patard JJ. *Eur J Cancer*. 2010 Jul;46(10):1927-35.

Prognostic value of extranodal extension and other lymph node parameters in patients with upper tract urothelial carcinoma. Fajkovic H, Cha EK, Jeldres C, Donner G, Chromecki TF, Margulis V, Novara G, Lotan Y, Raman JD, Kassouf W, Seitz C, Bensalah K, Weizer A, Kikuchi E, Roscigno M, Remzi M, Matsumoto K, Breinl E, Pycha A, Ficarra V, Montorsi F, **Karakiewicz PI**, Scherr DS, Shariat SF. *J Urol*. 2012 Mar;187(3):845-51.

Propensity-score matched comparison of complications, blood transfusions, length of stay, and in-hospital mortality between open and laparoscopic partial nephrectomy: a national series. Sun M, Abdollah F, Shariat SF, Schmitges J, **Trinh QD**, Tian Z, Jeldres C, Abdo A, Bianchi M, Briganti A, Montorsi F, **Perrotte P**, **Karakiewicz PI**. *Eur J Surg Oncol*. 2012 Jan;38(1):80-7.

Propensity-score-matched comparison of perioperative outcomes between open and laparoscopic nephroureterectomy: a national series. Hanna N, Sun M, **Trinh QD**, Hansen J, Bianchi M, Montorsi F, Shariat SF, Graefen M, **Perrotte P**, **Karakiewicz PI**. *Eur Urol*. 2012 Apr;61(4):715-21.

Prospective randomized trial of barbed polyglyconate suture to facilitate vesico-urethral anastomosis during robot-assisted radical prostatectomy: time reduction and cost benefit. **Zorn KC**, **Trinh QD**, Jeldres C, Schmitges J, **Widmer H**, **Lattouf JB**, Sammon J, Liberman D, Sun M, Bianchi M, **Karakiewicz PI**, Denis R, Gautam G, El-Hakim A. *BJU Int*. 2012 May;109(10):1526-32.

Prostate cancer: searching for bone metastases--how, when and why? **Saad F**. *Nat Rev Urol*. 2011 May 31;8(7):358-9.

Prostate cancer therapy: finding the right balance. **Saad F**. *Lancet Oncol*. 2012 Feb;13(2):119-20. doi: 10.1016/S1470-2045(11)70330-8. Epub 2011 Nov 21. PubMed PMID: 22112794.

Prostate radiotherapy after radical prostatectomy: sooner or later? Catton C, Parker C, **Saad F**, Sydes M. *BJU Int*. 2010 Oct;106(7):946-8.

Psychosocial adjustment of men during the first year of prostate cancer. Ezer H, Chachamovich JR, **Saad F**, Aprikian A, Souhami L. *Cancer Nurs*. 2012 Mar-Apr;35(2):141-7.

pT3 Substaging is a prognostic indicator for lymph node negative urothelial carcinoma of the bladder. Tilki D, Svatek RS, **Karakiewicz PI**, Novara G, Seitz M, Sonpavde G, Gupta A, Kassouf W, Fradet Y, Ficarra V, Skinner E, Lotan Y, Sagalowsky AI, Stief CG, Reich O, Shariat SF. *J Urol*. 2010 Aug;184(2):470-4.

PTP1B is an androgen receptor-regulated phosphatase that promotes the progression of prostate cancer. **Lessard L**, Labbé DP, Deblois G, Bégin LR, Hardy S, Mes-Masson AM, **Saad F**, Trotman LC, Giguère V, Tremblay ML. *Cancer Res*. 2012 Mar 15;72(6):1529-37.

Racial differences in the outcome of patients with urothelial carcinoma of the upper urinary tract: an international study. Matsumoto K, Novara G, Gupta A, Margulis V, Walton TJ, Roscigno M, Ng C, Kikuchi E, Zigeuner R, Kassouf W, Fritsche HM, Ficarra V, Martignoni G, Tritschler S, Rodriguez JC, Seitz C, Weizer A, Remzi M, Raman JD, Bolenz C, Bensalah K, Koppie TM, **Karakiewicz PI**, Wood CG, Montorsi F, Iwamura M, Shariat SF. *BJU Int*. 2011 Oct;108(8 Pt 2):E304-9.

Racial disparities and socioeconomic status in men diagnosed with testicular germ cell tumors: a survival analysis. Sun M, Abdollah F, Liberman D, Abdo A, Thuret R, Tian Z, Shariat SF, Montorsi F, **Perrotte P**, **Karakiewicz PI**. *Cancer*. 2011 Sep 15;117(18):4277-85.

Radical cystectomy for patients with pT4 urothelial carcinoma in a large population-based study. Liberman D, Alasker A, Sun M, Ismail S, Lughezzani G, Jeldres C, Budäus L, Thuret R, Shariat SF, **Widmer H**, **Perrotte P**, Graefen M, Montorsi F, **Karakiewicz PI**. *BJU Int*. 2011 Mar;107(6):905-11.

Radical prostatectomy at academic versus nonacademic institutions: a population based analysis. **Trinh QD**, Schmitges J, Sun M, Shariat SF, Sukumar S, Bianchi M, Tian Z, Jeldres C, Sammon J, **Perrotte P**, Graefen M, Peabody JO, Menon M, **Karakiewicz PI**. *J Urol*. 2011 Nov;186(5):1849-54.

Randomized phase II study of docetaxel and prednisone with or without OGX-011 in patients with metastatic castration-resistant prostate cancer. Chi KN, Hotte SJ, Yu EY, Tu D, Eigl BJ, Tannock I, **Saad F**, North S, Powers J, Gleave ME, Eisenhauer EA. *J Clin Oncol*. 2010 Sep 20;28(27):4247-54.

Randomized phase II trial of Custirsen (OGX-011) in combination with docetaxel or mitoxantrone as second-line therapy in patients with metastatic castrate-resistant prostate cancer progressing after first-line docetaxel: CUOG trial P-06c. **Saad F**, Hotte S, North S, Eigl B, Chi K, Czaykowski P, Wood L, Pollak M, Berry S, **Lattouf JB**, Mukherjee SD, Gleave M, Winquist E; Canadian Uro-Oncology Group. *Clin Cancer Res*. 2011 Sep 1;17(17):5765-73.

Re: Hendrik Van Poppel, Luigi Da Pozzo, Walter Albrecht, et al. A prospective, randomized EORTC intergroup phase 3 study comparing the oncologic outcome of elective nephron-sparing surgery and radical nephrectomy for low-stage renal cell carcinoma. *Eur Urol* 2011;59:543-52. Sun M, Hansen J, **Karakiewicz PI**. *Eur Urol*. 2012 Apr;61(4):e37-8.

Re: improved prediction of long-term, other cause mortality in men with prostate cancer: T. J. Daskivich, K. Chamie, L. Kwan, J. Labo, A. Dash, S. Greenfield and M. S. Litwin, *J Urol* 2011; 186: 1868-1873. **Trinh QD**, Ghani KR, Menon M, Sun M, **Karakiewicz PI**. *J Urol*. 2012 May;187(5):1931.

Rebuttal. **Franco-Guimond J**. *Can Urol Assoc J*. 2010 Aug;4(4):279.

Regulation of E2Fs and senescence by PML nuclear bodies. Vernier M, Bourdeau V, Gaumont-Leclerc MF, Moiseeva O, Bégin V, **Saad F**, Mes-Masson AM, Ferbeyre G. *Genes Dev*. 2011 Jan 1;25(1):41-50.

Risk stratification of organ confined bladder cancer after radical cystectomy using cell cycle related biomarkers. Shariat SF, Chromecki TF, Cha EK, **Karakiewicz PI**, Sun M, Fradet Y, Isbarn H, Scherr DS, Bastian PJ, Pummer K, Fajkovic H, Sagalowsky AI, Ashfaq R, Doblinger M, Cote RJ, Lotan Y. *J Urol*. 2012 Feb;187(2):457-62.

Should all men having a radical prostatectomy have a pelvic lymph node dissection? No. Abdollah F, Sun M, Thuret R, **Karakiewicz PI**. *Can Urol Assoc J*. 2010 Dec;4(6):425-6. No abstract available.

Soluble gp130 regulates prostate cancer invasion and progression in an interleukin-6 dependent and independent manner. Shariat SF, Chromecki TF, Hofer J, Barbieri CE, Scherr DS, **Karakiewicz PI**, Roehrborn CG, Montorsi F, Culig Z, Cavarretta IT. *J Urol*. 2011 Nov;186(5):2107-14.

A stage-for-stage and grade-for-grade analysis of cancer-specific mortality rates in renal cell carcinoma according to age: a competing-risks regression analysis. Sun M, Abdollah F, Bianchi M, **Trinh QD**, Jeldres C, Tian Z, Shariat SF, **Widmer H**, Zorn K, Menon M, Montorsi F, **Perrotte P**, **Karakiewicz PI**. *Eur Urol*. 2011 Dec;60(6):1152-9.

Stage-specific impact of pelvic lymph node dissection on survival in patients with non-metastatic bladder cancer treated with radical cystectomy. Abdollah F, Sun M, Schmitges J, Djahangirian O, Tian Z, Jeldres C, **Perrotte P**, Shariat SF, Montorsi F, **Karakiewicz PI**. *BJU Int*. 2012 Apr;109(8):1147-54.

Surgical caseload is an important determinant of continent urinary diversion rate at radical cystectomy: a population-based study. Abdollah F, Sun M, Schmitges J, Thuret R, Djahangirian O, Jeldres C, Tian Z, Shariat SF, **Perrotte P**, Montorsi F, **Karakiewicz PI**. *Ann Surg Oncol*. 2011 Sep;18(9):2680-7.

Survival after radical cystectomy of non-bilharzial squamous cell carcinoma vs urothelial carcinoma: a competing-risks analysis. Abdollah F, Sun M, Jeldres C, Schmitges J, Thuret R, Djahangirian O, Tian Z, Shariat SF, **Perrotte P**, Montorsi F, **Karakiewicz PI**. *BJU Int*. 2012 Feb;109(4):564-9.

Stage pT0 at radical cystectomy confers improved survival: an international study of 4,430 patients. Tilki D, Svatek RS, Novara G, Seitz M, Godoy G, **Karakiewicz PI**, Kassouf W, Fradet Y, Fritsche HM, Sonpavde G, Izawa JI, Ficarra V, Lerner SP, Schoenberg M, Stief CG, Dinney CP, Skinner E, Lotan Y, Sagalowsky AI, Reich O, Shariat SF. *J Urol*. 2010 Sep;184(3):888-94.

Statistical consideration for clinical biomarker research in bladder cancer. Shariat SF, Lotan Y, Vickers A, **Karakiewicz PI**, Schmitz-Dräger BJ, Goebell PJ, Malats N. *Urol Oncol*. 2010 Jul-Aug;28(4):389-400.

Tissue-based molecular markers for bladder cancer. Barbieri CE, Lotan Y, Lee RK, Sonpavde G, **Karakiewicz PI**, Robinson B, Scherr DS, Shariat SF. *Minerva Urol Nefrol*. 2010 Sep;62(3):241-58. Review.

Tissue-based molecular markers for renal cell carcinoma. Rink M, Chun FK, Robinson B, Sun M, **Karakiewicz PI**, Bensalah K, Fisch M, Scherr DS, Lee RK, Margulis V, Shariat SF. *Minerva Urol Nefrol*. 2011 Dec;63(4):293-308. Review.

Treatment of metastatic renal cell carcinoma. Thuret R, Maurin C, Sun M, **Perrotte P**, **Karakiewicz PI**. *Prog Urol*. 2011 Apr;21(4):233-44.

Trends of retroperitoneal lymphadenectomy use in patients with non-seminomatous germ cell tumor of the testis: a population-based study. Sun M, Abdollah F, Budaüs L, Liberman D, Tian Z, Morgan M, Johal R, Schmitges J, Shariat SF, Montorsi F, Greafer M, **Perrotte P**, **Karakiewicz PI**. *Ann Surg Oncol*. 2011 Oct;18(10):2997-3004.

Tumor grade improves the prognostic ability of American Joint Committee on Cancer stage in patients with penile carcinoma. Thuret R, Sun M, Abdollah F, Budaüs L, Lughezzani G, Liberman D, Morgan M, Johal R, Jeldres C, Latour M, Shariat SF, Iborra F, Guiter J, Patard JJ, **Perrotte P**, **Karakiewicz PI**. *J Urol*. 2011 Feb;185(2):501-7.

Unilateral prostate cancer cannot be accurately predicted in low-risk patients. Isbarn H, **Karakiewicz PI**, Vogel S, Jeldres C, Lughezzani G, Briganti A, Montorsi F, **Perrotte P**, Ahyai SA, Budaüs L, Eichelberg C, Heuer R, Köllermann J, Sauter G, Schlomm T, Steuber T, Haese A, Zacharias M, Fisch M, Heinzer H, Huland H, Chun FK, Graefen M. *Int J Radiat Oncol Biol Phys*. 2010 Jul 1;77(3):784-7.

Updated nomogram predicting lymph node invasion in patients with prostate cancer undergoing extended pelvic lymph node dissection: the essential importance of percentage of positive cores. Briganti A, Larcher A, Abdollah F, Capitanio U, Gallina A, Suardi N, Bianchi M, Sun M, Freschi M, Salonia A, **Karakiewicz PI**, Rigatti P, Montorsi F. *Eur Urol*. 2012 Mar;61(3):480-7.

Validation of the AJCC TNM substaging of pT2 bladder cancer: deep muscle invasion is associated with significantly worse outcome. Tilki D, Reich O, **Karakiewicz PI**, Novara G, Kassouf W, Ergün S, Fradet Y, Ficarra V, Sonpavde G, Stief CG, Skinner E, Svatek RS, Lotan Y, Sagalowsky AI, Shariat SF. *Eur Urol*. 2010 Jul;58(1):112-7.

Variations in the quality of care at radical prostatectomy. **Trinh QD**, Sammon J, Jhaveri J, Sun M, Ghani KR, Schmitges J, Jeong W, Peabody JO, **Karakiewicz PI**, Menon M. *Ther Adv Urol*. 2012 Apr;4(2):61-75.

Venous thromboembolism in colorectal surgery: how much does laparoscopy impart an advantage? **Trinh QD**, Sun M, Sammon J, **Karakiewicz PI**. *Arch Surg*. 2012 Feb;147(2):199. doi: 10.1001/archsurg.2011.1488. No abstract available. PMID: 22351922 [PubMed - indexed for MEDLINE].

Waiting for children's surgery in Canada: the Canadian Paediatric Surgical Wait Times project. Wright JG, Menaker RJ, **Canadian Paediatric Surgical Wait Times Study Group**. *CMAJ*. 2011 Jun 14;183(9):E559-64. Epub 2011 May 2.

Zoledronic Acid improves clinical outcomes when administered before onset of bone pain in patients with prostate cancer. **Saad F**, Eastham J. *Urology*. 2010 Nov;76(5):1175-81.

Division de la chirurgie vasculaire

Open versus endovascular repair for acute traumatic thoracic aortic rupture. **Verdant A**. *J Thorac Cardiovasc Surg*. 2012 May;143(5):1230; author reply 1230-1.

Regarding "Impact of practice patterns in shunt use during carotid endarterectomy with contralateral carotid occlusion". **Elkouri S**. *J Vasc Surg*. 2012 Jun;55(6):1838; author reply 1838.